

Improved Bounds for 3SUM, k -SUM, and Linear Degeneracy^{*†}

Omer Gold¹ and Micha Sharir²

1 School of Computer Science, Tel Aviv University, Tel Aviv, Israel
omergold@post.tau.ac.il

2 School of Computer Science, Tel Aviv University, Tel Aviv, Israel
michas@post.tau.ac.il

Abstract

Given a set of n real numbers, the 3SUM problem is to decide whether there are three of them that sum to zero. Until a recent breakthrough by Grønlund and Pettie [FOCS'14], a simple $\Theta(n^2)$ -time deterministic algorithm for this problem was conjectured to be optimal. Over the years many algorithmic problems have been shown to be reducible from the 3SUM problem or its variants, including the more generalized forms of the problem, such as k -SUM and k -variate linear degeneracy testing (k -LDT). The conjectured hardness of these problems have become extremely popular for basing conditional lower bounds for numerous algorithmic problems in P.

In this paper, we show that the randomized 4-linear decision tree complexity¹ of 3SUM is $O(n^{3/2})$, and that the randomized $(2k - 2)$ -linear decision tree complexity of k -SUM and k -LDT is $O(n^{k/2})$, for any odd $k \geq 3$. These bounds improve (albeit being randomized) the corresponding $O(n^{3/2}\sqrt{\log n})$ and $O(n^{k/2}\sqrt{\log n})$ bounds obtained by Grønlund and Pettie. Our technique includes a specialized randomized variant of the fractional cascading data structure. Additionally, we give another deterministic algorithm for 3SUM that runs in $O(n^2 \log \log n / \log n)$ time. The latter bound matches a recent independent bound by Freund [Algorithmica 2017], but our algorithm is somewhat simpler, due to a better use of the word-RAM model.

1998 ACM Subject Classification F.2.2 Nonnumerical Algorithms and Problems

Keywords and phrases 3SUM, k -SUM, Linear Degeneracy, Linear Decision Trees, Fractional Cascading

Digital Object Identifier 10.4230/LIPIcs.ESA.2017.42

1 Introduction

The general 3SUM problem is formally defined as

3SUM: Given a finite set $A \subset \mathbb{R}$, determine whether there exist $a, b, c \in A$ such that $a + b + c = 0$.

An equivalent variant is that the input consists of three finite sets $A, B, C \subset \mathbb{R}$ of the same size, and the goal is to determine whether there are elements $a \in A, b \in B, c \in C$ such

* For the full version of this paper see [21]. Work on this paper has been supported by Grant 892/13 from the Israel Science Foundation, by Grant 2012/229 from the U.S.-Israeli Binational Science Foundation, by the Israeli Centers of Research Excellence (I-CORE) program (Center No. 4/11), by the Blavatnik Research Fund in Computer Science at Tel Aviv University, and by the Hermann Minkowski-MINERVA Center for Geometry at Tel Aviv University.

† A full version of the paper is available at <http://arxiv.org/abs/1512.05279>.

¹ An r -linear decision tree is one in which each branching is based on a sign test of a linear expression with at most r terms. The complexity of the tree is its depth.



that $a + b + c = 0$. When the sets A, B, C are not of the same size, the problem is named unbalanced 3SUM.

The 3SUM problem and its variants are among the most fundamental problems in algorithm design. Although the 3SUM problem itself does not seem to have many compelling practical implications, it has been of wide interest due to numerous problems that can be reduced from it. The notion of 3SUM-Hardness is often used to describe such problems, namely, problems that are at least as hard as 3SUM. Thus, lower bounds on 3SUM imply lower bounds on dozens of other problems. Among them are fundamental problems in computational geometry [20, 3, 7, 30], dynamic graph algorithms [29, 1, 27], triangle enumeration [2, 27], and pattern matching [31, 5, 9, 27, 6].

In the last decades, starting with a study of Gajentaan and Overmars [20], it was conjectured that any algorithm for 3SUM requires $\Omega(n^2)$ time. However, a recent breakthrough by Grønlund and Pettie [22] showed that 3SUM can be solved in subquadratic time. Specifically, they gave a deterministic algorithm that runs in $O(n^2(\log \log n / \log n)^{2/3})$ time, and a randomized algorithm that runs in $O(n^2(\log \log n)^2 / \log n)$ expected time and with high probability. Furthermore, they showed that there is a 4-linear decision tree for 3SUM with depth $O(n^{3/2}\sqrt{\log n})$ (i.e., the depth bounds the number of branching operations, each one is based on sign test of a linear expression with at most 4 terms). These results raised serious doubts on the optimality of many algorithms for 3SUM-Hard problems. For example, the following problems are known to be 3SUM-Hard. (1) Given an n -point set in \mathbb{R}^2 , determine whether it contains three collinear points (Gajentaan and Overmars [20]). (2) Given n triangles in \mathbb{R}^2 , determine whether their union contains a hole, or compute the area of their union [20]. (3) Given two n -point sets $X, Y \subset \mathbb{R}$, each of size n , determine whether all elements in $X + Y = \{x + y \mid x \in X, y \in Y\}$ are distinct (Barequet and Har-Peled [7]). (4) Given two n -edge convex polygons, determine whether one can be placed inside the other via translation and rotation [7].

Problems 1 and 2 are solvable in $O(n^2)$ time (see [20]). Problems 3 and 4 are solvable in $O(n^2 \log n)$ time (see [7]). In face of the new 3SUM result of Grønlund and Pettie [22], it is natural to ask whether these bounds are optimal. However, no better bounds are currently known (in spite of the improvement in [22]). Problem 3 (or its stronger variant of sorting $X + Y$) has special importance, as it is used for basing the conditional lower bounds for the problems in [7] and in [23]; these problems are therefore also classified as “(Sorting $X + Y$)-Hard”. It is a prominent long-standing open problem whether Problem 3 can be solved in $o(n^2 \log n)$ time (see [14]).

In view of the results in [22], the 3SUM conjecture has been replaced by a relaxed, modern variant, asserting that 3SUM cannot be solved in *strongly subquadratic time* (even in expectation), i.e., in $O(n^{2-\epsilon})$ time, for any $\epsilon > 0$. This conjecture is widely accepted and believed by the computer science community, and so are its implications for deriving lower bounds for other problems. Abboud and Vassilevska-Williams [2] argue, based on the collective computer science community efforts, that lower bounds that are based on the relaxed 3SUM conjecture should be at least as believable as any other known conditional lower bounds for a problem in P.

The 3SUM problem was also extensively studied in its generalized forms, k -SUM and k -variate linear degeneracy testing (k -LDT), formally defined as

k -LDT and k -SUM: Given a k -variate linear function $\phi(x_1, \dots, x_k) = \alpha_0 + \sum_{i=1}^k \alpha_i x_i$, where $\alpha_0, \dots, \alpha_k \in \mathbb{R}$, and a finite set $A \subset \mathbb{R}$, determine whether there exists $(x_1, \dots, x_k) \in A^k$ such that $\phi(x_1, \dots, x_k) = 0$. When ϕ is $\sum_{i=1}^k x_i$ the problem is called k -SUM.

There are simple algorithms that solve k -LDT in time $O(n^{(k+1)/2})$ when k is odd, or $O(n^{k/2} \log n)$ when k is even; see [4]. These algorithms are based on straightforward reduc-

tions to a 2SUM problem or to an unbalanced 3SUM problem, depending on whether k is even or odd, respectively. These are currently the best known upper bounds for the running time of solving k -LDT. Erickson [16] showed that, for an even k , there is a k -linear decision tree with depth $O(n^{k/2})$, removing an $O(\log n)$ factor when comparing to the uniform model. The above bounds match with the seminal lower bound results of Erickson [16], and of Ailon and Chazelle [4], who showed that any k -linear decision tree for solving k -LDT must have depth $\Omega(n^{k/2})$ when k is even and $\Omega(n^{(k+1)/2})$ when k is odd. In particular, any 3-linear decision tree for 3SUM has depth $\Omega(n^2)$. Grønlund and Pettie [22] showed that using only one more variable per comparison leads to a dramatic improvement in the depth of the tree, which significantly beats the above lower bounds. Specifically, as will be reviewed below, they showed that there is a 4-linear decision tree for 3SUM with depth $O(n^{3/2}\sqrt{\log n})$, and by the reduction from k -LDT to unbalanced 3SUM, they concluded that there is a $(2k - 2)$ -linear decision tree for k -LDT with depth $O(n^{k/2}\sqrt{\log n})$, for any odd $k \geq 3$. Cardinal, Iacono, and Ooms [10] showed that if we allow arbitrarily many variables in a comparison (polynomial in n), then the linear decision tree complexity of k -SUM and k -LDT is $O(n^3 \log^3 n)$. This bound was recently improved by Ezra and Sharir [17] to $O(n^2 \log^2 n)$. A very recent breakthrough by Kane, Lovett, and Moran [26] significantly improves these results, not only by showing an $O(n \log^2 n)$ bound, but also by using only $2k$ variables in a comparison, namely, a $2k$ -linear decision tree (see below for further details).

Apart from the many lower bounds obtained from the conjectured hardness of 3SUM and its variants, in recent years, many lower bounds were obtained also from two other plausible conjectures. The first is that computing the $(\min, +)$ -product of two $n \times n$ matrices takes $\Omega(n^{3-o(1)})$ time (aka APSP-Hardness); see for examples [32, 2, 1]. The second is that CNF-SAT takes $\Omega(2^{(1-o(1))n})$ time. The latter is often referred to as the *Strong Exponential Time Hypothesis* (SETH) [24, 25]. A natural question is whether any of these conjectures (3SUM, SETH, APSP) are in fact equivalent, or whether they all derive from a basic unifying hypothesis. At the current state of knowledge, there is no strong relationship between any pair of these problems, so it may be possible that any one of them could be true or false, independently of the status of the others. A recent breakthrough by Carmosino, Gao, and Impagliazzo [11] provides evidence that such a relationship is *unlikely*, based on a nondeterministic variant of SETH; see [11] for details.

1.1 Our Results and Related Work

Before presenting our results, we recall the definition of the *randomized r -linear decision tree complexity*, for a particular target function f . Consider a probability distribution \mathcal{P} over a set \mathcal{T} of (deterministic) r -linear decision trees that compute f . For a particular input x , let $c(\mathcal{P}, x)$ be the expected number of branching operations a tree chosen from \mathcal{T} will make on input x . Then, the randomized r -linear decision tree complexity of f is

$$\min_{\mathcal{P}} \max_x c(\mathcal{P}, x).$$

The following theorems capture our main results.

► **Theorem 1.** *The randomized 4-linear decision tree complexity of 3SUM is $O(n^{3/2})$.*

► **Theorem 2.** *The randomized $(2k - 2)$ -linear decision tree complexity of k -SUM and of k -LDT is $O(n^{k/2})$, for any odd $k \geq 3$.*

We show these results by giving a randomized algorithm that constructs a $(2k - 2)$ -linear decision tree whose expected depth is $O(n^{k/2})$. Theorems 1 and 2 improve (albeit in a

randomized setting) the respective $O(n^{3/2}\sqrt{\log n})$ -depth and $O(n^{k/2}\sqrt{\log n})$ -depth decision trees given by Grønlund and Pettie [22]. The aforementioned recent breakthrough by Kane, Lovett, and Moran [26] gives a 6-linear decision tree for 3SUM with depth $O(n \log^2 n)$, and in general, a $2k$ -linear decision tree for k -SUM, and a $(2k + 2)$ -linear decision tree for k -LDT, both with depth $O(kn \log^2 n)$. These bounds nearly match the standard $\Omega(n \log n)$ lower bound. Viewing our (and Grønlund and Pettie’s) k -SUM results for $(2k - 2)$ -linear decision tree, with respect to Erickson’s $\Omega(n^{\lceil k/2 \rceil})$ k -linear decision tree lower bound, and the $2k$ -linear decision upper bound by Kane, Lovett, and Moran [26], shows that even adding only 1 or 2 terms for each linear comparison, can significantly improve the depth of the tree.

Our technique includes some new insights into the 3SUM problem, and uses a specialized data structure, based on an unusual randomized variant of fractional cascading in a grid.

Additionally, in the full version of this paper [21], we give an actual deterministic algorithm for 3SUM that runs in $O(n^2 \log \log n / \log n)$ time.² The latter improves the $O(n^2 (\log \log n / \log n)^{2/3})$ -time bound of Grønlund and Pettie [22], and matches the bound given by a recent independent work of Freund [19]. Both algorithms, Freund’s [19] and ours, have common high-level ideas, but ours makes a better use of the word-RAM model, and is hence somewhat simpler.³

Recently, Lincoln, Vassilevska-Williams, Wang, and Williams [28] showed a reduction result in which they apply our 3SUM algorithm (based on an initial version of this paper [21]) as a black-box, leading to a 3SUM algorithm that uses only $O(\sqrt{n \log n / \log \log n})$ space, while preserving the time bound of our algorithm.

2 Methods and Lemmas

We give an overview of the techniques we use. Some of them were also used for some of the results mentioned above. This includes Fredman’s prominent work from 1976 [18]. For our result, we will develop a special randomized variant of *fractional cascading* (Chazelle and Guibas [12, 13]). In this section we also briefly review the standard fractional cascading method, to set the infrastructure upon which we will later develop our specialized variant.

Throughout the paper we refer to the trivial (albeit ingenious) observation that $a + b < a' + b'$ iff $a - a' < b' - b$ as *Fredman’s trick*. We denote by $[N]$ the first $\lceil N \rceil$ natural numbers succeeding zero $\{1, \dots, \lceil N \rceil\}$, where N may or may not be an integer.

Fredman showed that, given n numbers whose sorted order is one of $\Pi \leq n!$ realizable permutations, they can be sorted using a linear number of comparisons when Π is sufficiently small. More generally, we have:

► **Lemma 3** (Fredman 1976 [18]). *A list L of n numbers, whose sorted order is one of Π possible permutations, can be sorted with $2n + \log \Pi$ pairwise comparisons.*

Sorting Pairwise Sums and its Geometric Interpretation. Fredman describes the relation between the complexity of hyperplane arrangements and the decision tree complexity of sorting pairwise sums. Grønlund and Pettie [22] use similar arguments in their 3SUM decision

² We consider a simplified Real RAM model. Real numbers are subject to only two unit-time operations: addition and comparison. In all other respects the machine behaves like a $w = O(\log n)$ -bit word RAM with the standard repertoire of unit-time AC^0 operations: bitwise Boolean operations, left and right shifts, addition, and comparison.

³ The independent result of Freund [19] was brought to our attention after the completion of an initial version of this paper; see [21].

tree, where they sort pairwise sums. Specifically, given lists $A = (a_i)_{i \in [n]}$ and $B = (b_i)_{i \in [n]}$ of distinct real numbers, define the pairwise sum $A + B = \{a_i + b_j \mid i, j \in [n]\}$. The input A, B can be regarded as a point $p = (a_1, \dots, a_n, b_1, \dots, b_n) \in \mathbb{R}^{2n}$. The points in \mathbb{R}^{2n} that agree with a fixed permutation of $A + B$ form a convex cone bounded by the set H of the $\binom{n^2}{2}$ hyperplanes $x_i + y_j - x_k - y_l = 0$, for $i, j, k, l \in [n]$, $(i, j) \neq (k, l)$. The number of possible sorted orders of $A + B$ is therefore bounded by the number of regions (of all dimensions) in the arrangement $\mathcal{A}(H)$ of H . As shown by Buck [8], the number of regions in an arrangement of m hyperplanes in \mathbb{R}^d of dimension $k \leq d$ is at most

$$\binom{m}{d-k} \left(\binom{m-d+k}{0} + \binom{m-d+k}{1} + \dots + \binom{m-d+k}{k} \right).$$

Thus, the number of regions of all dimensions is $O(m^d)$ (where the constant of proportionality is independent of d). Hence, the number of possible sorting permutations of $A + B$ is $O((n^4)^{2n}) = O(n^{8n})$. One can also construct the hyperplane arrangement explicitly in $O(m^d)$ time by a standard incremental algorithm [15]. The following lemma, taken from Grønlund and Pettie [22], extends this analysis by considering only a subset of these hyperplanes, and is an immediate consequence of these observations.

► **Lemma 4.** *Let $A = (a_i)_{i \in [n]}$ and $B = (b_i)_{i \in [n]}$ be two lists, each of n real numbers, and let $F \subseteq [n]^2$ be a set of positions in the $n \times n$ grid. The number of realizable orders of $(A + B)|_F := \{a_i + b_j \mid (i, j) \in F\}$ is $O\left(\binom{|F|}{2}^{2n}\right)$, and therefore $(A + B)|_F$ can be sorted with at most $2|F| + 4n \log |F| + O(1)$ comparisons.*

In Lemma 4, the case $F = [n]^2$ goes back to Fredman [18], who showed that $O(n^2)$ comparisons suffice to sort $A + B$.

For some of the algorithms presented and reviewed in this paper, it is important to assume that the elements of the pairwise sum are distinct, and therefore have a unique sorting permutation. When numbers do appear multiple times, a unique sorting permutation can be obtained by breaking ties consistently (see [22] for details).

Iterative Search and Fractional Cascading. In our decision tree construction for 3SUM, we aim to speed-up binary searches of the same number, in many sorted sets. We will use for this task a special randomized variant of *fractional cascading*, which will be described in Section 4. First, we briefly recall the standard fractional cascading technique, which was introduced by Chazelle and Guibas [12, 13], for solving the *iterative search problem*, defined as follows. Let U be an ordered universe of keys. Define a *catalog* as a finite ordered subset of U . Given a set of k catalogs C_1, C_2, \dots, C_k over U , such that $|C_i| = n_i$ for each $i \in [k]$, and $\sum_{i=1}^k n_i = n$, the iterative search problem is to provide a data structure that supports efficient execution of queries of the form: given a query $x \in U$, return the largest value less than or equal to x in each of the k catalogs.

Fractional cascading lets one preprocess the catalogs in $O(n)$ time, using $O(n)$ storage, and answer iterative search queries in $O(\log n + k)$ time per query. This is essentially optimal in terms of query time, storage size and preprocessing time. The idea is to maintain a sufficient number of pointers across catalogs, so that, once we have the answer c_i to a query in a catalog C_i , we can follow a pointer to an element in C_{i+1} , which is only $O(1)$ indices away from the answer $c_{i+1} \in C_{i+1}$.

In order to obtain optimal query time, the fractional cascading method expands each catalog C_i to an augmented catalog L_i , starting with L_k and proceeding backwards down to L_1 . L_k is the same as C_k , and for each $1 \leq i < k$, L_i is formed by merging C_i with every

second element of L_{i+1} . The items in C_i that were not originally in the catalog are marked as synthetic keys. From each synthetic key in C_i we add a bridge (pointer) to the element in L_{i+1} on which it was based. Using these bridges and additional pointers, from each real key to the two consecutive synthetic keys nearest to it, one can follow directly from each element of L_i (real or synthetic) to the elements in L_{i+1} nearest to it, and by construction, the gap between these elements is 2. Thus, given a query number x , after spending $O(\log n)$ time for searching it in L_1 , it takes only $O(1)$ time to locate x in each subsequent catalog, for a total of $O(\log n + k)$ time, as desired. Since the total number of elements that were copied to the catalogs form a convergent geometric series, one can show that the total number of elements that are copied through the catalogs is only $O(n)$, and that the cost of doing it is also $O(n)$.

Fractional cascading can also be extended to support a collection of catalogs stored at the vertices of a directed acyclic graph (DAG), and each query searches with some specified element x through the catalogs stored at the nodes of some specified path in the DAG. In more detail, a *catalog graph* is a DAG in which each vertex stores a catalog (ordered list of keys). A query consists of a key x and a path π in the graph, and the goal is to search with x in the catalog of each node of π . When the maximum in/out degree Δ of the catalog graph is constant, fractional cascading can be extended to this scenario, with the same bounds as before (albeit with larger constants of proportionality). Here too each catalog C_v at a node v , is expanded into an augmented catalog L_v , and each L_v passes to its predecessors every 2Δ -th element (instead of every second element in the earlier case, where Δ was 1). See [12, 13] for more details on the construction of the data structure, proof of correctness, and performance analysis.

In our algorithms we will present a special non-standard variant of this method, that lets us preserve the advantages of the other techniques (e.g., Fredman’s trick) that we use.

The Quadratic 3SUM Algorithm. We next give a brief overview of the quadratic-time algorithm. We follow the implementation given by Grønlund and Pettie [22], which is slightly different from the standard approach, but is useful for the explanation of the results of [22] and of this paper. For later references, we present the algorithm for the more general three-set version of 3SUM, as defined in the first paragraph of Section 1.

The algorithm runs over each $c \in C$ and searches for $-c$ in the pairwise sum $A + B$. With a careful implementation, given below, each search takes $O(|A| + |B|)$ time, for a total of $O(|C|(|A| + |B|))$ time. We view $A + B$ as being a matrix whose rows correspond to the elements of A and columns to the elements of B , both listed in increasing order. To help visualizing some steps of the algorithms, we think of the rows arranged in increasing order from top to bottom, and of the columns from left to right.

1. Sort A and B in increasing order as $A(0), \dots, A(|A| - 1)$ and $B(0), \dots, B(|B| - 1)$.
2. For each $c \in C$,
 - 2.1. Initialize $\text{lo} \leftarrow 0$ and $\text{hi} \leftarrow |B| - 1$.
 - 2.2. Repeat:
 - 2.2.1. If $-c = A(\text{lo}) + B(\text{hi})$, report witness “ $(A(\text{lo}), B(\text{hi}), c)$ ”.
 - 2.2.2. If $-c > A(\text{lo}) + B(\text{hi})$ then increment lo , otherwise decrement hi .
 - 2.3. Until $\text{lo} = |A|$ or $\text{hi} = -1$.
3. If no witnesses were found report “no witness.”

The correctness easily follows from the fact that each row and column of $A + B$ is sorted in increasing order. Note that when a witness is discovered in Step 2.2.1, the algorithm can stop right there. However, in order to simplify future definitions and explanations, this

372	389	407	439	454	480	534	609	635	655
397	414	432	464	479	505	559	634	660	680
420	437	455	487	502	528	582	657	683	703
442	459	477	509	524	550	604	679	705	725
478	495	513	545	560	586	640	715	741	761
500	517	535	567	582	608	662	737	763	783
523	540	558	590	605	631	685	760	786	806
548	565	583	615	630	656	710	785	811	831
594	611	629	661	676	702	756	831	857	877
627	644	662	694	709	735	789	864	890	910

■ **Figure 1** The sky-blue colored entries form $\text{CONTOUR}(710)$, and the purple colored ones form $\text{CONTOUR}(558)$; A shared cell is shown in green. The lighter colors (light purple and light sky-blue) depict their *partial contour*, that is, the positions of the contours where we chose to go down. All the elements in the matrix whose values are in $[558, 710)$ are enclosed between these two contours, excluding the partial contour of 558 and including the partial contour of 710.

implementation continues to search for more witnesses. After finding a witness we will always choose to decrement hi . This choice will be made throughout the paper.

Define the *contour* of x , $\text{CONTOUR}(x, A + B)$, ($\text{CONTOUR}(x)$, when the context is clear) to be the sequence of positions (lo, hi) encountered while searching for x in $A + B$ in the preceding algorithm. Lemma 5 is straightforward.

► **Lemma 5.** *For $x < y \in \mathbb{R}$, $\text{CONTOUR}(x)$ lies fully above $\text{CONTOUR}(y)$; that is, for each $i, i', j \in \{0, \dots, n - 1\}$, if $(i, j) \in \text{CONTOUR}(x)$ and $(i', j) \in \text{CONTOUR}(y)$, then $i \leq i'$.*

By Lemma 5 a pair of contours can overlap, but never cross. Moreover, Lemma 5 implies a weak total order relation \prec on the contours, which corresponds to the order between the searched elements, such that $x < y$ iff $\text{CONTOUR}(x) \prec \text{CONTOUR}(y)$, where the latter relation means that the two contours satisfy the properties stated in the lemma; see Figure 1.

3 Grønlund and Pettie's Subquadratic 3SUM Decision Tree

In this section we give an overview of the subquadratic decision tree of Grønlund and Pettie [22]. In the following sections we show how their ideas can be extended and combined with additional techniques, to yield our improved results.

We give an overview of the subquadratic decision tree for 3SUM over a single input set A of size n , taken from [22], resulting in a 4-linear decision tree with depth $O(n^{3/2}\sqrt{\log n})$. This is shown by an algorithm that performs at most $O(n^{3/2}\sqrt{\log n})$ comparisons, where each comparison is a sign test of a linear expression with at most 4 terms.

1. Sort A in increasing order as $A(0), \dots, A(n - 1)$. Partition A into $\lceil n/g \rceil$ groups $A_1, \dots, A_{\lceil n/g \rceil}$, each of at most g consecutive elements, where g is a parameter that we will fix later, by setting $A_i := \{A((i - 1)g), \dots, A(ig - 1)\}$, for each $i = 1, \dots, \lceil n/g \rceil - 1$, where $A_{\lceil n/g \rceil}$ may be shorter. The first and last elements of A_i are $\min(A_i) = A((i - 1)g)$ and $\max(A_i) = A(ig - 1)$.
2. Sort $D := \bigcup_{i \in \lceil n/g \rceil} (A_i - A_i) = \{a - a' \mid a, a' \in A_i \text{ for some } i\}$.
3. For all $i, j \in \lceil n/g \rceil$, sort $A_{i,j} := A_i + A_j = \{a + b \mid a \in A_i \text{ and } b \in A_j\}$.
4. For k from 1 to n ,
 - 4.1. Initialize $lo \leftarrow 1$ and $hi \leftarrow \lceil n/g \rceil$.

4.2. Repeat:

4.2.1. If $-A(k) \in A_{\text{lo,hi}}$, report “solution found” and halt.

4.2.2. If $\max(A_{\text{lo}}) + \min(A_{\text{hi}}) > -A(k)$ then decrement hi, otherwise increment lo.

4.3. Until $\text{lo} = \lceil n/g \rceil + 1$ or $\text{hi} = 0$.

5. Report “no solution” and halt.

This algorithm can be generalized in a straightforward way to solve the (unbalanced) three-set version of 3SUM. For the easy argument concerning the correctness of the algorithm, see [22].

With a proper choice of g , the decision tree complexity of the algorithm is $O(n^{3/2}\sqrt{\log n})$. Step 1 requires $O(n \log n)$ comparisons. By Lemma 4, Step 2 requires $O(n \log n + |D|) = O(n \log n + gn)$ comparisons to sort D . By Fredman’s trick, if $a, a' \in A_i$ and $b, b' \in A_j$, $a + b < a' + b'$ holds iff $a - a' < b' - b$, and both sides of this inequality are elements of D . Thus, Step 3 does not require any real input comparisons, given the sorted order on D . For each iteration of the outer loop (in Step 4) there are at most $2\lceil n/g \rceil$ iterations of the inner loop (Step 4.2), since each iteration ends by either incrementing lo or decrementing hi. In Step 4.2.1 we can determine whether $-A(k)$ is in $A_{\text{lo,hi}}$ using binary search, in $\log |A_{\text{lo,hi}}| = O(\log g)$ comparisons. The total number of comparisons is thus $O(n \log n + gn + (n^2 \log g)/g)$, which becomes $O(n^{3/2}\sqrt{\log n})$ when $g = \sqrt{n \log n}$.

4 Improved Decision Trees for 3SUM, k -SUM, and k -LDT

In this section we show that the randomized decision tree complexity of 3SUM is $O(n^{3/2})$, and more generally, that the randomized decision tree complexity of k -LDT is $O(n^{k/2})$, for any odd $k \geq 3$. This bound removes the $O(\sqrt{\log n})$ factor in Grønlund and Pettie’s decision tree bound. We show these results by giving a randomized algorithm that constructs a $(2k - 2)$ -linear decision tree whose expected depth is $O(n^{k/2})$.

To make the presentation more concise, we present it for the variant where we have three different sets A, B, C of n real numbers each, and we want to determine whether there exist $a \in A, b \in B, c \in C$, such that $a + b + c = 0$.

As in the previous section, we partition each of the sorted sets A and B into $\lceil n/g \rceil$ blocks, each consisting of g consecutive elements, denoted by $A_1, \dots, A_{n/g}$, and $B_1, \dots, B_{n/g}$, respectively. As above, but with a slightly different notation, we consider the $n \times n$ matrix $M = M^{AB}$, whose rows (resp., columns) are indexed by the (sorted) elements of A (resp., of B), so that $M(k, \ell) = a_k + b_\ell$, for $k, \ell \in [n]$. The partitions of A and of B induce, as before, a partition of M into n^2/g^2 boxes $M_{i,j}$, for $i, j \in [n/g]$, where $M_{i,j}$ is the portion of M with rows in A_i and columns in B_j .

As above, Fredman’s trick allows us to sort all the boxes $M_{i,j}$ with $O(n \log n + ng)$ comparisons. Since the problem is fully symmetric in A, B, C , we can also define analogous matrices M^{AC} and M^{BC} , constructed in the same manner for the pairs A, C and B, C , respectively, partition each of them into n^2/g^2 boxes, and obtain the sorted orders of all the corresponding boxes, with $O(n \log n + ng)$ comparisons.

The crucial (costliest) step in Grønlund and Pettie’s algorithm, which we are going to improve, is the searches of the elements of $-C$ in M^{AB} . For each $c \in C$, let $\sigma(c) = \text{CONTOUR}(-c)$ denote the staircase path contour of $-c$, as defined before Lemma 5. The length of $\sigma(c)$ is thus at most $2n$. Each of the paths $\sigma(c)$ visits some (at most $2\lceil n/g \rceil$) of the boxes $M_{i,j}$, and the index pairs (i, j) of these boxes also form a staircase pattern, as in the preceding sections. For each $c \in C$, the sequence of boxes that $\sigma(c)$ visits can be obtained by invoking (an appropriate variant of) Step 4 of the algorithm in Section 3, excluding the binary search in Step 4.2.1. The total running time of this step, over all $c \in C$, is $O(n^2/g)$.

The paths $\sigma(c)$, being contours, have the structure given in Lemma 5, including the weak total order \prec between them. Thus, we obtain the following.

► **Corollary 6.** *For each box $M_{i,j}$, let $C_{i,j}$ denote the set of elements of C whose paths $\sigma(c)$ traverse $M_{i,j}$. Then $C_{i,j}$ is a contiguous subsequence of (the sorted) C .*

Put $\kappa_{i,j} := |C_{i,j}|$. Then we clearly have $\sum_{i,j \in [n/g]} \kappa_{i,j} = O(n^2/g)$. That is, the average number of elements of C that visit a box is $O(g)$, and, for each box, these elements form a contiguous subsequence of C , as just asserted in Corollary 6. Let $C_{i,j}^*$ denote the contiguous sequence of indices in C of the elements of $C_{i,j}$. That is, $C_{i,j} = \{c_\ell \mid \ell \in C_{i,j}^*\}$. With all these observations, we next proceed to derive the mechanism by which, for each box $M_{i,j}$, we can efficiently search in $M_{i,j}$ with the (negations of the) $\kappa_{i,j}$ corresponding elements of $C_{i,j}$.

We apply a special variant of fractional cascading. The twist is in the way in which we construct the augmented catalogs. Note that in each box $M_{i,j}$, we have g^2 elements of the form $a_k + b_\ell$, but only $2g$ indices k, ℓ . We want to sample elements from a box, and then copy and merge them into its neighbor boxes. However, in order to be able to use Fredman's trick, we have to preserve the property that the number of element-indices (rows and columns) in each augmented box stays $O(g)$ (unlike a naive implementation of fractional cascading, where it is enough that each augmented box be of size $O(g^2)$).

Thus, we sample elements from A (row elements) and elements from B (column elements) separately. We construct augmented sets $A'_1, \dots, A'_{\lceil n/g \rceil}$. Starting with $A'_{\lceil n/g \rceil} = A_{\lceil n/g \rceil}$, we sample each element in $A'_{\lceil n/g \rceil}$ with probability $p = \frac{1}{4}$. Each sampled element is copied and merged with $A_{\lceil n/g \rceil - 1}$, and we denote by $A'_{\lceil n/g \rceil - 1}$ the new augmented set. Then we sample each element from $A'_{\lceil n/g \rceil - 1}$ with the same probability p , copy and merge the sampled elements with $A_{\lceil n/g \rceil - 2}$, obtaining $A'_{\lceil n/g \rceil - 2}$, and continue this process until the augmented set A'_1 is constructed. Similarly, we construct the augmented sets $B'_1, \dots, B'_{\lceil n/g \rceil}$, but we do it in the opposite direction, starting from $B'_1 = B_1$ and ending with $B'_{\lceil n/g \rceil}$. Clearly, similar to standard fractional cascading, the expected size of each of the augmented sets is $O(g)$, as the expected numbers of additional elements placed in each box form a convergent geometric series. Now we sort

$$D_{A'} = \bigcup_{i \in [n/g]} (A'_i - A'_i) = \{a - a' \mid a, a' \in A'_i \text{ for some } i\}.$$

In each $A'_i - A'_i$, the expected number of elements $a_k - a_{k'}$ is $O(g^2)$, and the expected number of element indices k, k' is only $O(g)$. Thus, by Lemma 4, we can sort $D_{A'}$ with expected $O(n \log n + ng)$ comparisons. Similarly, we sort $D_{B'} = \bigcup_{j \in [n/g]} (B'_j - B'_j)$ with the same expected number of comparisons. Then, we form the union $D' = D_{A'} \cup D_{B'}$ and obtain its sorted order by merging $D_{A'}$ and $D_{B'}$. This costs additional expected $O(ng)$ comparisons. By Fredman's trick, from the sorted order of D' , we can, and do, obtain the sorted order of the augmented boxes $A'_i + B'_j$, for each $i, j \in [n/g]$, without further comparisons.

With these augmentations of the row and column blocks, the matrix M^{AB} itself is now augmented, such that each modified box $M_{i,j} = A'_i + B'_j$ receives some fraction of the rows from the box $M_{i+1,j}$ below it, and a fraction of the columns from the box $M_{i,j-1}$ to its left. Each box $M_{i,j}$ corresponds to a vertex in the catalog graph, and it has (at most) two outgoing edges, one to the vertex that corresponds to $M_{i+1,j}$ and one to the vertex that corresponds to $M_{i,j-1}$ (it also has at most two incoming edges). Clearly this is a DAG with maximum in/out degree $\Delta = 2$, which is why we sampled $\frac{1}{2\Delta} = \frac{1}{4}$ of the rows/columns in each step. We complete the construction of this special fractional cascading data structure, by adding the appropriate pointers, similar to what is done in a standard implementation of

60	70	80	90	100	110	120	130	140	150
160	170	180	190	200	210	220	230	240	250
260	270	280	290	300	310	320	330	340	350

■ **Figure 2** An expensive step in the fractional cascading search: Assume that only the first and third rows (appearing in gray) are sent to the preceding box (above the current one), and that we search with $-c = 205$. The previous search locates $-c$ between $\xi^- = 150$ and $\xi^+ = 260$, say, and now we have to examine the entire second row to locate $-c$ in the current box.

fractional cascading (see Section 2). This does not require any further comparisons, since the pointers from synthetic keys (the sampled elements) to real keys, and pointers from real keys to synthetic keys, depend only on the sorted order of the augmented sets $M_{i,j}$, which we already computed. So the overall expected number of comparisons needed to construct this data structure is still $O(n \log n + ng)$.

Consider now the search with $-c$, for some $c \in C$. Assume that the search has just visited some box $M_{i',j'}$, and now proceeds to search in box $M_{i,j}$, where either $(i,j) = (i'+1,j')$ or $(i,j) = (i',j'-1)$. Assume, without loss of generality, that $(i,j) = (i'+1,j')$; a symmetric argument applies when $(i,j) = (i',j'-1)$, using columns instead of rows. In this case, the fractional cascading mechanism has sampled, in a random manner, an expected quarter of the rows of (the already augmented) $M_{i,j}$ and has sent them to $M_{i',j'} = M_{i-1,j}$. The output of the search at $M_{i-1,j}$, if $-c$ was not found there, includes two pointers to the largest element ξ^- of $M_{i,j}$ that is smaller than $-c$, and to the smallest element ξ^+ of $M_{i,j}$ that is larger than or equal to $-c$. We need to go over the elements in the sorted order of $M_{i,j}$ that lie between ξ^- and ξ^+ , and locate $-c$ among them. If we do not find it, we get the two consecutive elements that enclose $-c$, retrieve from them two corresponding pointers to a pair of elements in the next box to be searched, that enclose $-c$ between them, and continue the fractional cascading search in the next box, in between these elements.

The main difficulty in this approach is that the number of elements of $M_{i,j}$ between ξ^- and ξ^+ might be large, because there might be many elements between ξ^- and ξ^+ in rows that we did not sample, and then we have to inspect them all, slowing down the search.

Concretely, in this case we sample, in expectation, a quarter of the rows of $M_{i,j}$ (recall that, we actually sample the rows from an augmented box that has already received data from previous boxes, but let us ignore this issue for now). Collectively, these rows contain (in expectation) $\Theta(g^2)$ elements of $M_{i,j}$, but we have no good control over the size of the gaps of non-sampled elements between consecutive pairs of sampled ones. This is because there might be rows that we did not sample which contain many elements between ξ^- and ξ^+ , and searching through such large gaps could slow down the procedure considerably. See Figure 2 for an illustration. (For a normal fractional cascading, this would not be an issue, but here the peculiar and implicit way in which we sample elements has the potential for creating this problem.)

We handle this problem as follows. Consider any gap of non-sampled elements of $M_{i,j}$ between a consecutive pair $\xi^- < \xi^+$ of sampled ones. We claim that the expected number of rows to which these elements belong is $O(1)$. Indeed, the probability to have k distinct rows in such a gap, conditioned on the choice of the row containing ξ^- , is $\frac{1}{4} \left(\frac{3}{4}\right)^k$, which follows since each row is sampled *independently* with probability $1/4$. Hence, the (conditionally)

expected row-size of a gap is

$$\sum_{k \geq 0} k \frac{1}{4} \left(\frac{3}{4}\right)^k = O(1),$$

as claimed. Denote this expected value as β . In other words, for each $c \in C_{i,j}$, let R_c be the set of rows that show up in the gap between the corresponding elements ξ^- and ξ^+ for c . The overall expected size $\sum_{c \in C_{i,j}} |R_c|$ is thus $\beta|C_{i,j}|$.

Fix a box $M_{i,j}$. For each $\ell \in C_{i,j}^*$ and for each $k \in R_{c_\ell}$, we need to locate $-c_\ell$ among the elements in row k of $M_{i,j}$. That is, we need to locate $-c_\ell$ among the elements of the set $a_k + B'_j$. This however is equivalent to locating $-a_k - c_\ell$ among the elements of B'_j .

We therefore collect the set S of all the sums $-a_k - c_\ell$, for $\ell \in C_{i,j}^*$ and $k \in R_{c_\ell}$, and recall that in expectation we have $|S| = O(|C_{i,j}|)$. The crucial observation is that we already (almost) know the order of these sums. To make this statement more precise, partition, in the usual manner, the sorted sequence C into $\lceil n/g \rceil$ blocks $C_1, C_2, \dots, C_{\lceil n/g \rceil}$, each consisting of g consecutive elements in the sorted order. As mentioned earlier, a symmetric application of Fredman's trick allows us to obtain the sorted order of each box of the form $A'_i + C_j$, using a total of $O(ng)$ comparisons.

The number of (consecutive) blocks C_s of C that overlap $C_{i,j}$ is $t_{i,j} \leq \lceil \kappa_{i,j}/g \rceil + 2$. Moreover, each sum in S belongs to $-(A'_i + C_s)$ for one of these $t_{i,j}$ blocks. Since each of these sets is already sorted, we extract from them (with no extra comparisons) the elements of S as the union of $t_{i,j}$ sorted sequences $S_{i,s}$, where $S_{i,s} \subset -(A'_i + C_s)$ for each s . Arguing as above, the expected size of $S_{i,s}$ is $\beta|C_s| = O(g)$. We now merge each of the sorted sequences $S_{i,s}$ with B'_j , using an expected $O(g)$ comparisons for each merge. As a result, each sum $-a_i - c_\ell$ is located between two consecutive elements $b_{i,\ell}^- < b_{i,\ell}^+$ of B'_j . In other words, for each $c_\ell \in C_{i,j}$, we have at most $|R_{c_\ell}|$ candidates for being the largest element of $M_{i,j}$ that is smaller than $-c_\ell$ (these are the elements $a_i + b_{i,\ell}^-$, for $i \in R_{c_\ell}$), and we select the largest of them, requiring no comparisons, as these are all elements of the already sorted $A'_i + B'_j$. In the same manner, we find the smallest element of $M_{i,j}$ that is larger than $-c_\ell$. Having found these two elements, we can proceed to search $-c_\ell$ in the next box, using the appropriate pointers created by the fractional cascading mechanism (see Section 2).

The overall number of merges is

$$\sum_{i,j \in [n/g]} t_{i,j} \leq \sum_{i,j \in [n/g]} (\kappa_{i,j}/g + 2) = O(n^2/g^2),$$

and each of them costs $O(g)$ expected comparisons, for a total of $O(n^2/g)$ expected comparisons. Thus, the overall number of expected comparisons is $O(n \log n + ng + n(\log g + n/g))$, which is $O(n^{3/2})$, when $g = \sqrt{n}$. This completes the proof of Theorem 1. ◀

4.1 k -SUM and Linear Degeneracy Testing

The standard algorithm for k -variate linear degeneracy testing (k -LDT) for odd $k \geq 3$, is based on a straightforward reduction to an instance of unbalanced 3SUM, where $|A| = |B| = n^{(k-1)/2}$ and $|C| = n$; see [4] and [22]. The analysis of this section also applies for unbalanced 3SUM, and directly implies that it can be solved by using an expected number of

$$O(|A| \log |A| + |B| \log |B| + |C| \log |C| + g(|A| + |B| + |C|) + |C|((|A| + |B|)/g + \log g))$$

comparisons, where the first four terms come from the cost of sorting the blocks of (the augmented) M^{AB} , M^{AC} , and M^{BC} , and where the last term is the cost of the fractional cascading searches. We have $|A| = |B| = n^{(k-1)/2}$, $|C| = n$, so by choosing $g = \sqrt{n}$, the

bound becomes $O(n^{k/2})$. Thus, the randomized decision tree complexity of k -LDT (and thus of k -SUM) is $O(n^{k/2})$, for any odd $k \geq 3$, as stated in Theorem 2.

References

- 1 A. Abboud and V. Vassilevska Williams. Popular conjectures imply strong lower bounds for dynamic problems. In *Proc. 55th Annu. Sympos. on Foundations of Computer Science (FOCS)*, pages 434–443, 2014.
- 2 A. Abboud, V. Vassilevska Williams, and H. Yu. Matching triangles and basing hardness on an extremely popular conjecture. In *Proc. 47th Annu. ACM on Sympos. on Theory of Computing (STOC)*, pages 41–50, 2015.
- 3 O. Aichholzer, F. Aurenhammer, E. D. Demaine, F. Hurtado, P. Ramos, and J. Urrutia. On k -convex polygons. *Comput. Geom.*, 45(3):73–87, 2012.
- 4 N. Ailon and B. Chazelle. Lower bounds for linear degeneracy testing. *J. ACM*, 52(2):157–171, 2005.
- 5 A. Amir, T. M. Chan, M. Lewenstein, and N. Lewenstein. On hardness of jumbled indexing. In *Proc. 41st Int'l Colloq. on Automata, Languages, and Programming (ICALP)*, pages 114–125, 2014.
- 6 A. Amir, T. Kopelowitz, A. Levy, S. Pettie, E. Porat, and B. Riva Shalom. Mind the gap: Essentially optimal algorithms for online dictionary matching with one gap. In *Proc. 27th Int'l Sympos. on Algorithms and Computation (ISAAC)*, pages 12:1–12:12, 2016.
- 7 G. Barequet and S. Har-Peled. Polygon containment and translational min-Hausdorff-distance between segment sets are 3SUM-hard. *Int. J. Comput. Geometry Appl.*, 11(4):465–474, 2001.
- 8 R. C. Buck. Partition of space. *Amer. Math. Monthly*, 50:541–544, 1943.
- 9 A. Butman, P. Clifford, R. Clifford, M. Jalsenius, N. Lewenstein, B. Porat, E. Porat, and B. Sach. Pattern matching under polynomial transformation. *SIAM J. Comput.*, 42(2):611–633, 2013.
- 10 J. Cardinal, J. Iacono, and A. Ooms. Solving k -SUM using few linear queries. In *Proc. 24th Annu. European Sympos. on Algorithms (ESA)*, pages 25:1–25:17, 2016.
- 11 M. L. Carmosino, J. Gao, R. Impagliazzo, I. Mihajlin, R. Paturi, and S. Schneider. Non-deterministic extensions of the strong exponential time hypothesis and consequences for non-reducibility. In *Proc. 2016 ACM Conference on Innovations in Theoretical Computer Science*, pages 261–270, 2016.
- 12 B. Chazelle and L. J. Guibas. Fractional cascading: I. A data structuring technique. *Algorithmica*, 1(2):133–162, 1986.
- 13 B. Chazelle and L. J. Guibas. Fractional cascading: II. Applications. *Algorithmica*, 1(2):163–191, 1986.
- 14 E. D. Demaine, J. S. B. Mitchell, and J. O'Rourke. The open problems project. Accessed: 2015-10-28.
- 15 H. Edelsbrunner, J. O'Rourke, and R. Seidel. Constructing arrangements of lines and hyperplanes with applications. *SIAM J. Comput.*, 15(2):341–363, 1986.
- 16 J. Erickson. Bounds for linear satisfiability problems. *Theor. Comput. Sci*, 8:388–395, 1999.
- 17 E. Ezra and M. Sharir. A nearly quadratic bound for the decision tree complexity of k -SUM. To Appear in *Proc. 33rd Int'l Sympos. on Computational Geometry (SoCG)*, 2017.
- 18 M. L. Fredman. How good is the information theory bound in sorting? *Theor. Comput. Sci*, 1(4):355–361, 1976.
- 19 A. Freund. Improved subquadratic 3SUM. *Algorithmica*, 77(2):440–458, 2017.
- 20 A. Gajentaan and M. H. Overmars. On a class of $O(n^2)$ problems in computational geometry. *Comput. Geom.*, 5:165–185, 1995.

- 21 O. Gold and M. Sharir. Improved bounds for 3SUM, k -SUM, and linear degeneracy. *CoRR*, abs/1512.05279, 2015. URL: <http://arxiv.org/abs/1512.05279>.
- 22 A. Grönlund and S. Pettie. Threesomes, degenerates, and love triangles. In *Proc. 55th Annu. Sympos. on Foundations of Computer Science (FOCS)*, pages 621–630, 2014.
- 23 A. Hernández-Barrera. Finding an $o(n^2 \log n)$ algorithm is sometimes hard. In *Proc. 8th Canadian Conference on Computational Geometry*, pages 289–294, 1996.
- 24 R. Impagliazzo and R. Paturi. On the complexity of k -SAT. *J. Comput. Syst. Sci.*, 62(2):367–375, March 2001.
- 25 R. Impagliazzo, R. Paturi, and F. Zane. Which problems have strongly exponential complexity? *J. Comput. Syst. Sci.*, 63(4):512–530, 2001.
- 26 D. M. Kane, S. Lovett, and S. Moran. Near-optimal linear decision trees for k -SUM and related problems. *CoRR*, abs/1705.01720, 2017.
- 27 T. Kopelowitz, S. Pettie, and E. Porat. Higher lower bounds from the 3SUM conjecture. In *Proc. 27th Annu. ACM-SIAM Sympos. on Discrete Algorithms (SODA)*, pages 1272–1287, 2016.
- 28 A. Lincoln, V. Vassilevska Williams, J. R. Wang, and R. Williams. Deterministic time-space trade-offs for k -SUM. In *Proc. 43rd Int'l Colloq. on Automata, Languages, and Programming (ICALP)*, pages 58:1–58:14, 2016.
- 29 M. Pătraşcu. Towards polynomial lower bounds for dynamic problems. In *Proc. 42nd ACM Sympos. on Theory of Computing (STOC)*, pages 603–610, 2010.
- 30 M. A. Soss, J. Erickson, and M. H. Overmars. Preprocessing chains for fast dihedral rotations is hard or even impossible. *Comput. Geom.*, 26(3):235–246, 2003.
- 31 O. Weimann, A. Abboud, and V. Vassilevska Williams. Consequences of faster sequence alignment. In *Proc. 41st Int'l Colloq. on Automata, Languages, and Programming (ICALP)*, pages 39–51, 2014.
- 32 V. Vassilevska Williams and R. Williams. Subcubic equivalences between path, matrix and triangle problems. In *Proc. 51st Annu. IEEE Sympos. on Foundations of Computer Science (FOCS)*, pages 645–654, 2010.