

# Lossy Chains and Fractional Secret Sharing

Yuval Ishai<sup>\*1</sup>, Eyal Kushilevitz<sup>†2</sup>, and Omer Strulovich<sup>‡3</sup>

- 1 Technion, Haifa, Israel  
yuvali@cs.technion.ac.il
- 2 Technion, Haifa, Israel  
eyalk@cs.technion.ac.il
- 3 Technion, Haifa, Israel  
omers@cs.technion.ac.il

---

## Abstract

Motivated by the goal of controlling the amount of work required to access a shared resource or to solve a cryptographic puzzle, we introduce and study the related notions of *lossy chains* and *fractional secret sharing*.

Fractional secret sharing generalizes traditional secret sharing by allowing a fine-grained control over the amount of uncertainty about the secret. More concretely, a fractional secret sharing scheme realizes a fractional access structure  $f : 2^{[n]} \rightarrow \{0, \dots, m-1\}$  by guaranteeing that from the point of view of each set  $T \subseteq [n]$  of parties, the secret is *uniformly* distributed over a set of  $f(T) + 1$  potential secrets. We show that every (monotone) fractional access structure can be realized. For *symmetric* structures, in which  $f(T)$  depends only on the size of  $T$ , we give an efficient construction with share size  $\text{poly}(n, \log m)$ .

Our construction of fractional secret sharing schemes is based on the new notion of *lossy chains* which may be of independent interest. A lossy chain is a Markov chain  $(X_0, \dots, X_n)$  which starts with a random secret  $X_0$  and gradually loses information about it at a rate which is specified by a *loss function*  $g$ . Concretely, in every step  $t$ , the distribution of  $X_0$  conditioned on the value of  $X_t$  should always be uniformly distributed over a set of size  $g(t)$ . We show how to construct such lossy chains efficiently for any possible loss function  $g$ , and prove that our construction achieves an optimal asymptotic information rate.

**1998 ACM Subject Classification** E.3 Data Encryption

**Keywords and phrases** Cryptography, secret sharing, Markov chains

**Digital Object Identifier** 10.4230/LIPIcs.STACS.2013.160

## 1 Introduction

In this work, we introduce and study two related notions: *lossy chains* and *fractional secret sharing*. We start by describing the latter.

**Fractional secret sharing.** Suppose that we wish to share a secret password between several parties, such that the largest subset of cooperating parties will be the first to guess the correct password. (Think of the password as a key which locks vault, where the number of guessing attempts measures the amount of work required for unlocking the vault.)

---

\* Supported by the European Research Council as part of the ERC project CaC (grant 259426), ISF grant 1361/10, and BSF grant 2008411.

† Supported by ISF grant 1361/10 and BSF grant 2008411.

‡ Supported by ERC grant 259426.

A simple solution that comes to mind is the following. If the password is a binary string of length  $k$  and we have  $n \leq k$  parties, we can give each party one or more bits of the password. In this solution, a larger cooperating subset of parties will need a smaller expected number of attempts to guess the password than a smaller one. This solution achieves our goal, but is limited to specific parameters. For example, we cannot easily extend this method to  $n > k$  parties, nor can we have finer control over the relative amount of expected work required by different subsets of parties.

Our goal is to find a solution which gives maximal control over the amount of information about the password revealed to each subset of parties. This motivates the notion of *fractional secret sharing*. In traditional secret sharing [9, 3, 6], each subset of  $n$  parties either has full information about the secret or has no information about the secret. Fractional secret sharing generalizes this notion by allowing a fine-grained control over the amount of uncertainty of each subset about a uniformly random secret. The uncertainty is specified by a *fractional access structure*  $f : 2^{[n]} \rightarrow \{0, \dots, m-1\}$ . A fractional secret sharing scheme realizing  $f$  should have the property that from the point of view of each set  $T \subseteq [n]$  of parties, the secret is always *uniformly* distributed over a set of  $f(T) + 1$  potential secrets. Since adding a party to a subset cannot reduce the amount of available information, we assume  $f$  to be *monotone* in the sense that if  $T \subseteq T'$  then  $f(T') \leq f(T)$ . This raises the following questions:

*Can every (monotone) fractional access structure be realized? If so, how efficiently?*

**How to gradually forget.** Motivated in part by the problem of fractional secret sharing, we introduce the related notion of *lossy chains*. A lossy chain is a Markov chain  $(X_0, \dots, X_n)$  which starts with a random secret  $X_0$  and gradually loses information about it at a rate which is specified by a predefined loss function  $g : [n] \rightarrow [m]$ . More concretely, we require that for any  $1 \leq i \leq n$  and any possible value  $x_i$  in the support of  $X_i$ , the distribution of the secret  $X_0$ , conditioned on the event that  $X_i = x_i$ , is uniform<sup>1</sup> over a set of size  $g(i)$ . (The identity of this set may depend on  $x_i$ .) In a similar manner to fractional access structures, we require that the loss function  $g$  be monotone, in the sense that for  $i < j$  we have  $g(i) < g(j)$ . This raises the following questions:

*Can every (monotone) loss function be realized? If so, how efficiently?*

The Markov property of the chain (namely, the requirement that  $X_{i+1}$  be independent of  $X_0, \dots, X_{i-1}$  given  $X_i$ ) is important for our motivating applications, as it rules out the possibility of combining several values  $X_i$  in order to learn more information than that implied by the “best” value  $X_i$ . Jumping ahead, this property will turn out to be crucial for the construction of fractional secret sharing from lossy chains.

**Why uniform?** An important aspect of our notions of fractional secret sharing and lossy chains is that they require each conditional distribution to always be *uniform* over a subset of potential secrets having a specified size. One could instead consider alternative definitions which only specify some measure of *entropy*, such as conditional Shannon entropy [10], or min-entropy [8], without further restricting the distribution. Insisting on a uniform distribution has several important advantages. First, a crude measure of uncertainty such as entropy is not informative enough to capture all relevant properties of a distribution.

<sup>1</sup> The uniformity requirement rules out simple solutions that are based on gradually adding independent random noise to the initial secret (cf. [4]), see further discussion below.

For instance, min-entropy determines the best probability of guessing the secret in the first attempt, but says little about the expected number of attempts until the secret is correctly guessed. Second, using the uniform distribution does not only give control over the expected number of attempts in an optimal guessing strategy, but it also minimizes the *variance* of the number of such attempts under the expectation constraint. (See full version for a proof that the uniform distribution beats any other distribution in this respect.) Finally, in some scenarios it may be desirable to spread the point in time in which the secret is correctly guessed as evenly as possible (think of a password controlling a shared resource). This too is achieved optimally by the uniform distribution. We note that one could relax the requirement of uniformity to being statistically close to uniform. This is addressed in the full version.

## 1.1 Our Results

We obtain several positive and negative results about lossy chains and fractional secret sharing.

- We show that any monotone loss function  $g : [n] \rightarrow [m]$  can be efficiently realized by a lossy chain  $(X_0, \dots, X_n)$  in which the bit-length of each  $X_i$  is at most  $n \cdot \lceil \log m \rceil$ . Moreover, we show this bound to be asymptotically tight by demonstrating the existence of a family of loss functions  $g_{n,m} : [n] \rightarrow [m]$  for which some  $X_i$  must be  $\Omega(n \log m)$  bits long. This asymptotic lower bound still holds even if we allow the conditional distributions to have negligible statistical distance from uniform. Settling for a constant statistical distance, the bit-length of each  $X_i$  can be  $O(\log^2 m)$ , independently of  $n$ .
- We show a general reduction of fractional secret sharing to lossy chains, which implies that every monotone fractional access structure  $f : 2^{[n]} \rightarrow \{0, \dots, m-1\}$  can be realized. For the important case of *symmetric* structures, in which  $f(T)$  depends only on the size of  $T$ , we get an efficient construction in which the share size of each party is at most  $n \cdot \lceil \log \max\{n, m\} \rceil$ .

## 1.2 Overview of Techniques

Recall that a lossy chain is a Markov chain  $(X_0, \dots, X_n)$ , where  $X_0$  is a random secret, and each step loses additional information about the secret. This loss is specified by a loss function  $g : [n] \rightarrow [m]$ , such that for each  $1 \leq i \leq n$  and  $x_i$  in the support of  $X_i$ , the distribution of  $X_0$  conditioned on  $X_i = x_i$  is uniform over a set of size  $g(i)$ . (See Section 3.1 for a formal definition.)

As a simple warmup example, let  $X_0$  be uniform over  $\{0, 1\}^n$ , and let  $X_i$  include the first  $n - i$  bits of  $X_0$ . In this case,  $X_0$  conditioned on  $X_i = x_i$  is distributed uniformly over a set of size  $2^i$ . Thus, this lossy chain realizes the loss function  $g(i) = 2^i$ . This simple approach only works for a loss function  $g$  which is increasing exponentially, and can be generalized only to loss functions  $g$  such that  $g(i)$  divides  $g(i+1)$ .

The following alternative approach works for any monotone loss function  $g : [n] \rightarrow [m]$ , where without loss of generality  $g(n) = m$ :

1. Pick  $x_0$  uniformly from  $[m]$ .
2. For  $i = 1, \dots, n$ , pick (a set)  $x_i$  uniformly at random from all subsets of  $[m]$  of size  $g(i)$  containing  $x_{i-1}$ .
3. Output  $(x_0, x_1, \dots, x_n)$

Intuitively, this method starts from a set  $\{x_0\}$  containing only the correct secret, and in each step adds  $g(i) - g(i-1)$  new random “distractors” from  $[m]$ . This allows us to realize a

lossy chain for any loss function. However, storing or sending the values of such a chain may be infeasible when  $m$  is large (e.g., think of  $m$  as the number of possible passwords). It is therefore desirable to get a solution in which the bit-length of each  $X_i$  grows logarithmically with  $m$  instead of linearly with  $m$ .

A natural approach is to limit the subsets represented by  $X_i$  to only be discrete intervals of the form  $[j, k] = \{j, j + 1, \dots, k\}$ , where  $1 \leq j \leq k \leq m$ . Unfortunately, this simple modification of the previous construction fails to satisfy the uniform conditional distribution property. More concretely, given an interval  $[j, k]$  for  $X_i$ , the probability of the secret  $X_0$  being in the middle of the interval will be higher than in the edges of the interval. To avoid this problem, we employ *cyclic* intervals. Intuitively, given an arbitrary ordered set, a cyclic interval can “cycle” through the end back to the start of the set. Using recursive nesting of such cyclic intervals, we construct a lossy chain for any loss function while keeping the support of each  $X_i$  small. We describe our results for lossy-chains in Section 3. We present the above construction in Section 3.2, and we establish the optimality of this construction in Section 3.3 by using some basic linear algebraic properties of the probability vectors associated with a lossy chain. Positive and negative results for the statistical relaxation of lossy chains are given in the full version.

Finally, in Section 4 we describe the reduction of fractional secret sharing to lossy chains. Recall that a fractional secret sharing scheme realizes a fractional access structure  $f : 2^{[n]} \rightarrow \{0, \dots, m - 1\}$  by ensuring that from the point of view of each set  $T \subseteq [n]$  of parties, the secret is *uniformly* distributed over a set of  $f(T) + 1$  potential secrets. (See Section 4.1 for a formal definition.) In the case of a symmetric structure  $f$ , where  $f(T)$  depends only on the size of  $T$ , we can use the following natural construction: let  $g(i) = f([n - i]) + 1$  and let  $(X_0, \dots, X_n)$  be a lossy chain realizing  $g$ . A fractional secret sharing scheme realizing  $f$  can be obtained by using a threshold secret sharing scheme (such as Shamir’s scheme [9]) to distribute the value of each  $X_i$  between the  $n$  parties with reconstruction threshold  $n - i$ . Any set  $T$  of  $t$  parties will be able to reconstruct the values  $X_{n-t}, \dots, X_n$ , which by the Markov property contain the same information about the secret  $X_0$  as  $X_{n-t}$ . By the definition of  $g$ , the distribution of  $X_0$  conditioned on the value of  $X_{n-t}$  is uniform over a set of size  $f(T) + 1$ , as required. The above construction can be generalized to arbitrary fractional access structures. However, similarly to traditional secret sharing, the complexity of the general construction may be exponential in the number of parties.

**Related work.** The notion of fractional secret sharing can be viewed as a restricted instance of *non-perfect* secret sharing (also referred to as *ramp secret sharing*). While in standard (perfect) secret sharing schemes each set of players should either be able to fully reconstruct the secret or alternatively should learn nothing about it, in a non-perfect secret sharing there is also a third kind of sets that may learn partial information about the secret. Non-perfect schemes were proposed mainly for the reason of improving the efficiency of secret sharing by reducing the size of the shares. Unlike fractional secret sharing, in non-perfect secret sharing there is no requirement on the type of partial information available to the third kind of subsets. For works on non-perfect secret sharing, see [2, 11, 7, 5] and references therein.

## 2 Preliminaries

**Notation.** We let  $[n]$  denote the set of integers  $\{1, 2, \dots, n\}$ . We use  $\log n$  to denote  $\log_2 n$ . For a random variable  $X$ , we let  $\text{supp}(X)$  denote the support set of  $X$ , that is, the set of values which  $X$  may take with nonzero probability. The support set of a real-valued vector is the set of coordinates in which it takes nonzero values.

**Markov chains.** A Markov chain is a sequence of random variables such that the distribution of each variable in the sequence depends only on the value of the previous variable. Formally:

► **Definition 1. (Markov chain)** Let  $\bar{X} = (X_0, X_1, \dots, X_n)$  be a sequence of jointly distributed random variables. We say that  $\bar{X}$  is a *Markov chain* if for every  $i \in [n]$  and for any sequence of values  $x_0 \in \text{supp}(X_0), \dots, x_i \in \text{supp}(X_i)$ ,

$$\Pr[X_i = x_i | X_{i-1} = x_{i-1}] = \Pr[X_i = x_i | X_{i-1} = x_{i-1}, \dots, X_0 = x_0].$$

In general, Markov chains can be defined as infinite sequences of random variables with infinite support size. However, in this work we will only consider finite Markov chains.

The above definition is equivalent to requiring that for any  $i$  and  $x_i$  in the support of  $X_i$ , the random variables  $(X_1, \dots, X_{i-1})$  and  $(X_{i+1}, \dots, X_n)$  are independent conditioned on  $X_i = x_i$ . The symmetry of the above conditional independence requirement implies the following “reversibility” property of Markov chains:<sup>2</sup>

► **Fact 1.** If  $\bar{X} = (X_0, X_1, \dots, X_n)$  is a Markov chain, then so is  $\bar{X}^R = (X_n, X_{n-1}, \dots, X_0)$ .

### 3 Lossy Chains

In this section we define our new notion of a lossy chain (Section 3.1), present an efficient construction of lossy chains (Section 3.2), and prove a lower bound on their efficiency (Section 3.3).

#### 3.1 Definitions and Basic Properties

A lossy chain is a Markov chain in which the information loss about the initial value is fully specified by a *loss function*. We start by defining the latter.

► **Definition 2. (Loss function)** A *loss function* is a monotone increasing function  $g : [n] \rightarrow [m]$ . That is, for every  $1 \leq i < j \leq n$  we have  $g(i) < g(j)$ .

We now turn to define lossy chains.

► **Definition 3. (Lossy chain)** Let  $g : [n] \rightarrow [m]$  be a loss function, and let  $\bar{X} = (X_0, X_1, \dots, X_n)$  be a sequence of random variables. We say that  $\bar{X}$  is a *lossy chain realizing*  $g$  if the following conditions hold:


- $\bar{X}$  is a Markov chain, and
- for every  $i \in [n]$  and every  $x_i$  in the support of  $X_i$ , the distribution of  $X_0$  conditioned on  $X_i = x_i$  is uniform over a set of size  $g(i)$ .

Our goal is to construct lossy chains in which each value can be succinctly described. To this end we use the following measure of efficiency.

► **Definition 4. (Information rate)** Let  $\bar{X} = (X_0, X_1, \dots, X_n)$  be a lossy chain. The *information rate* of  $\bar{X}$  is defined as

$$\rho(\bar{X}) = \min_{0 \leq i \leq n} \frac{\log g(n)}{\log |\text{supp}(X_i)|}$$

<sup>2</sup> For a formal proof see [1, p. 215].



■ **Figure 1** The cyclic interval from  $a_4$  to  $b_4$  is taken from a set  $S_4$  with a cyclic order to create  $S_3$ . Then  $S_2$  is created as a subset of  $S_3$  by taking another cyclic interval. This goes on, until  $S_0$ , the starting value is chosen from  $S_1$ .

It will be convenient to assume that in a lossy chain realizing  $g : [n] \rightarrow [m]$ , the initial value  $X_0$  is uniformly distributed over a set of size  $g(n)$ , and  $X_n$  has support set of size 1. The following claim shows that this assumption is without loss of generality: any lossy chain realizing  $g$  can be converted into a canonical form that has this property and has the same or better information rate.

► **Claim 1. (Canonical lossy chain)** *Let  $g : [n] \rightarrow [m]$  be a loss function and let  $\bar{X} = (X_0, X_1, \dots, X_n)$  be a lossy chain realizing  $g$ . Let  $x_n$  be an arbitrary element in the support of  $X_n$ . Let  $\bar{X}' = (X'_0, X'_1, \dots, X'_n)$  be the joint distribution defined by*

$$\Pr[\bar{X}' = (x'_0, x'_1, \dots, x'_n)] = \Pr[\bar{X} = (x'_0, x'_1, \dots, x'_n) \mid X_n = x_n].$$

*Then  $\bar{X}'$  is a lossy chain realizing  $g$ . Moreover,  $X'_0$  is uniform over a set of size  $g(n)$  and  $\text{supp}(X'_i) \subseteq \text{supp}(X_i)$  for  $0 \leq i \leq n$ .*

### 3.2 An Efficient Construction


In the Introduction, we have seen a simple general construction of a lossy chain realizing  $g : [n] \rightarrow [m]$  whose information rate is  $\tilde{\Theta}(1/m)$ . This construction may be infeasible for large values of  $m$ . In this section, we show how the rate can be improved to  $1/n$ .

We first recall the scheme described in the Introduction. Given  $g : [n] \rightarrow [m]$  where (without loss of generality)  $g(n) = m$ , the lossy chain is computed as follows.

1. Pick  $x_0$  uniformly from  $[m]$ .
2. For  $i = 1, \dots, n$ , pick a set  $x_i$  uniformly at random from all subsets of  $[m]$  of size  $g(i)$  containing  $x_{i-1}$ .
3. Output  $(x_0, x_1, \dots, x_n)$ .

This chain is inefficient in that it requires to store arbitrary subsets of  $[m]$ . In order to obtain a more efficient variant of this construction, we restrict these subsets to be nested *cyclic intervals*.

► **Definition 5. (Cyclic interval)** Let  $S = \{e_0, \dots, e_{m-1}\}$  be a linearly ordered set, where  $e_0 < e_1 < \dots < e_{m-1}$ . For any two integers  $a, b \in \{0, \dots, m-1\}$ , the *cyclic interval from a to b over S*, denoted  $[a, b]_S$ , is defined by:



■ **Figure 2** Lossy chain obtained via nested cyclic intervals

$$[a, b]_S = \begin{cases} \{e_a, \dots, e_b\} & a \leq b \\ \{e_a, \dots, e_{m-1}\} \cup \{e_0, \dots, e_b\} & a > b \end{cases}$$

Note that for a given size  $k$ , there are exactly  $|S|$  distinct nested intervals of size  $k$  in  $S$ , one for each starting point  $a$ . The algorithm for generating the lossy chain iteratively generates subsets  $S_i$  of size  $g(i)$  for every  $i \in [n]$  in *decreasing order*, where each subset  $S_i$  is a random cyclic interval in  $S_{i+1}$ . See Figure 1 for a visual illustration. A precise description of the algorithm is given in Figure 2.

We now prove that the output of the “Cyclic Intervals” algorithm from Figure 2 forms a lossy chain realizing  $g$ . In the following, we denote by  $\bar{X} = (X_0, \dots, X_n)$  the joint distribution of the output. We start by showing that the output indeed forms a Markov chain.

► **Lemma 1.** *The output distribution  $(X_0, \dots, X_n)$  forms a Markov chain.*


**Proof.** For  $1 \leq i \leq n$ , the output  $X_{i-1}$  is sampled based on  $X_i$  alone. This implies that  $(X_n, \dots, X_0)$  is a Markov chain and, by Fact 1, we have that  $(X_0, \dots, X_n)$  is also a Markov chain. ◀

► **Lemma 2.** *The chain  $\bar{X}$  realizes the loss function  $g$ .*

**Proof.** We prove that for any  $1 \leq i \leq n$  and any  $S_i \in \text{supp}(X_i)$ , the distribution of  $X_0$  conditioned on the event  $X_i = S_i$  is distributed uniformly over  $S_i$ . Since  $|S_i| = g(i)$  the lemma will follow.

The above claim intuitively follows by symmetry. We formally prove it by induction on  $i$ . The case  $i = 1$  follows directly from the algorithm’s description. Suppose the claim holds for  $i$ , and let  $S_{i+1}$  be in the support of  $X_{i+1}$ . We need to prove that  $X_0$  conditioned on  $X_{i+1} = S_{i+1}$  is uniformly distributed over  $S_{i+1}$ . Indeed, when  $X_{i+1} = S_{i+1}$  the choice of the output  $x_0$  can be viewed as resulting from the following two step process:

1. Pick  $S_i$  as a random cyclic interval in  $S_{i+1}$  of size  $g(i)$ .
2. Pick  $x_0$  from the distribution of  $X_0$  conditioned on  $X_i = S_i$ .



■ **Figure 3** On the left, a states graph for a simple lossy chain realizing  $g(i) = 2^i$  with 4 possible starting values. On the right, a lossy chain realizing  $g(i) = i + 1$ , also with 4 possible starting values.

The choice of  $S_i$  in the first step guarantees that each  $x \in S_{i+1}$  has an equal probability to be in  $S_i$ . By the induction’s hypothesis, the second step picks  $x_0$  uniformly at random from  $S_i$ . Combining the two steps,  $x_0$  is uniformly distributed over  $S_{i+1}$ , as required. ◀

Using the above two lemmas, we obtain the main theorem of this section.

► **Theorem 3.** *For any loss function  $g : [n] \rightarrow [m]$ , there is a lossy chain realizing  $g$  whose information rate is at least  $\frac{1}{n-1}$ .*

► **Remark. (On computational efficiency)** *The description in Figure 2 does not address the question of how the sets  $S_i$  are represented and how one can efficiently enumerate the elements of  $S_i$  or sample from  $S_i$ . To this end, we note that if we modify the algorithm such that  $X_i$  contains the representation of  $S_i$  by the sequence  $(a_{n-1}, \dots, a_i)$ , the resulting chain still realizes  $g$  (namely, the additional information provided by this sequence does not change the distribution of  $X_0$  conditioned on  $S_i$ ). Moreover, the information rate of this (slightly redundant) representation of the sets  $S_i$  is still lower bounded by  $1/(n - 1)$ . See full version for efficient algorithms supporting this representation.*

### 3.3 A Negative Result

In this section, we establish a limitation on the information rate of lossy chains, showing that the cyclic intervals construction cannot be asymptotically improved in the worst case. Specifically, we show a family of loss functions  $g : [n] \rightarrow [m]$  for which the support size of each  $X_i$  is at least  $\binom{m}{m-n+i}$ . For proving this result, it is convenient to use the following notion of a *states graph* of a Markov chain.

► **Definition 6. (States graph)** Let  $\bar{X} = (X_0, \dots, X_n)$  be a Markov chain, and let  $V_i$  denote the support set of  $X_i$ . Assume, without loss of generality, that the sets  $V_i$  are pairwise disjoint. The *states graph* of  $\bar{X}$  is a weighted directed graph  $(G, f)$  where

- $G = (V, E)$  is a layered graph in which  $V_i$  is the set of  $i$ -th level nodes and  $E$  contains the edges  $(u, v)$  such that, for some  $i$ , we have  $u \in V_i, v \in V_{i+1}$  and  $v$  is in the support of  $X_{i+1}$  conditioned on  $X_i = u$ .
- For any  $u \in V_i$  and  $v \in V_{i+1}$ , we have  $f(u, v) = \Pr[X_{i+1} = v | X_i = u]$ .



An example for a states graph of a simple lossy chain appears in Figure 3.

We define, for each node  $v \in V \setminus V_0$ , a probabilities vector which contains the probability of each starting value given that  $X_j$  was chosen to be  $v$ .

► **Definition 7. (Probabilities vector)** Let  $g : [n] \rightarrow [m]$  be a loss function such that  $g(n) = m$ . Let  $\bar{X} = (X_0, \dots, X_n)$  be a lossy chain realizing  $g$  with  $|\text{supp}(X_0)| = m$ , and let  $G$  be its states graph. Let  $v \in V_j$  be a node in layer  $j$  of  $G$ . The *probabilities vector* of  $v$  is a vector  $\bar{v} \in \mathbb{R}^m$  such that  $\bar{v}[i] = \Pr[X_0 = e_i | X_j = v]$ , where  $e_i$  is the element with index  $i$  in  $V_0$ , and  $\bar{v}[i]$  is the  $i$ th coordinate of  $\bar{v}$ . We say that a vector  $\bar{u} \in \mathbb{R}^m$  fits layer  $j$  of  $G$  if  $\bar{u}$  has  $g(j)$  entries of value  $\frac{1}{g(j)}$  and the other entries are 0.

Note that if  $\bar{v}$  is the probabilities vector of a node  $v \in V_j$ , then  $\bar{v}$  necessarily fits layer  $j$ . However, the converse is not necessarily true.

Our negative result relies on the fact that the probabilities vector of any node in the states graph is a convex linear combination of the probabilities vectors of its parents (that is, a linear combination with positive coefficients that add up to 1).

► **Lemma 4.** Let  $\bar{X} = (X_0, \dots, X_n)$  be a lossy chain with states graph  $G = (V, E)$ . For any  $1 \leq j \leq n$ , let  $v \in V_j$  be a node of  $G$  and  $u_1, \dots, u_k \in V_{j-1}$  be all the nodes such that  $(u_i, v) \in E$ . Then  $\bar{v}$ , the probabilities vector of  $v$ , is a convex linear combination of  $\bar{u}_1, \dots, \bar{u}_k$ , the probabilities vectors of  $u_1, \dots, u_k$ .

The main theorem of this section shows a tight negative result on the efficiency of a lossy chain realizing a concrete family of loss functions.

► **Theorem 5.** Let  $m, n$  be positive integers such that  $m \geq n$  and let  $g_{m,n} : [n] \rightarrow [m]$  be the loss function defined by  $g_{m,n}(i) = m - n + i$ . Let  $(X_0, \dots, X_n)$  be a lossy chain realizing  $g_{m,n}$ . Then, for any  $0 < i \leq n$ , it holds that  $|\text{supp}(X_i)| \geq \binom{m}{m-n+i}$ .

The theorem relies on the following technical lemma, which will imply a lower bound on the number of probabilities vectors from level  $i$  required to span a probabilities vector from level  $i + 1$ .

► **Lemma 6.** Let  $\bar{v} \in \mathbb{R}^n$  be a 0-1 vector of Hamming weight  $k$ . Let  $\bar{u}_1, \dots, \bar{u}_m$  be 0-1 vectors of Hamming weight  $k - 1$ . If  $\bar{v}$  is a linear combination of  $\bar{u}_1, \dots, \bar{u}_m$  with positive coefficients, then  $m \geq k$ .

We are now ready to prove Theorem 5.

**Proof.** Let  $\bar{X} = (X_0, \dots, X_n)$  be a lossy chain realizing  $g_{m,n}$ . By Claim 1, we may assume without loss of generality that  $X_0$  is uniform over a set of size  $g_{m,n}(n) = m$  and  $X_n$  has support of size 1.

Let  $V_0, \dots, V_n$  be the layers in the states graph of  $\bar{X}$ . We prove by induction that, for any  $i \in [n]$  and for any of the  $\binom{m}{m-n+i}$  probabilities vectors  $\bar{v}$  which fit layer  $i$ , there is a node  $v \in V_i$  such that  $\bar{v}$  is the probabilities vector of  $v$ . The base case is  $i = n$ . In this case, the probabilities vector of the (single) node in  $V_n$  is  $(1/m, \dots, 1/m)$ , which is the only vector which fits level  $n$ .

We now assume that the claim holds for layer  $i + 1$  and prove it for layer  $i$ . Let  $\bar{u}$  be a vector which fits layer  $i$ . By the induction hypothesis, we know that for any vector  $\bar{v}$  which fits layer  $i + 1$  there is a corresponding node  $v \in V_{i+1}$ . Let  $v \in V_{i+1}$  be such a node for which the support set of  $\bar{v}$  contains that of  $\bar{u}$ . By Lemma 4,  $\bar{v}$  is a convex linear combination of the probability vectors of its parents  $u_i$ . Note that each probabilities vector of a parent node  $u_i$

is a scalar multiple of a 0-1 vector of weight  $g_{m,n}(i)$  whereas  $\bar{v}$  is a scalar multiple of a 0-1 vector of weight  $g_{m,n}(i+1)$ . By Lemma 6 and the fact that  $g_{m,n}(i+1) = g_{m,n}(i) + 1$ , the probability vectors  $\bar{u}_i$  of the parent nodes  $u_i$  have support sets that cover *all*  $m - n + i + 1$  subsets of size  $m - n + i$  of the support set of  $\bar{v}$ . In particular, one of the  $\bar{u}_i$  must coincide with  $\bar{u}$ . Since the above holds for any  $\bar{u}$  which fits layer  $i$ , this concludes the proof of the claim and the theorem.  $\blacktriangleleft$

Using loss functions of the form  $g(i) = m - n + i$ , we get the following corollary.

► **Corollary 7.** *For every  $\varepsilon > 0$  there is an infinite family of loss functions  $g_n : [n] \rightarrow [m(n)]$ , where  $m(n) = \lceil n^{1+\varepsilon} \rceil$ , such that the information rate of any lossy chain realizing  $g_n$  is  $O\left(\frac{1}{n}\right)$ .*

## 4 Fractional Secret Sharing

In this section, we define the notion of *fractional secret sharing* and show how to realize it via the use of lossy chains.

### 4.1 Definitions

An instance of the fractional secret sharing problem is specified by a *fractional access structure*. Recall that a traditional access structure specifies which subsets of parties can reconstruct the secret, where the remaining sets of parties should learn nothing about the secret. A fractional access structure generalizes this by allowing full control on the amount of information learned by each set of parties.

► **Definition 8. (Fractional access structure)** Let  $P = \{p_1, \dots, p_n\}$  be a finite set of parties and let  $m$  be an integer. A function  $f : 2^P \rightarrow \{0, \dots, m-1\}$  is *monotone* if  $B \subseteq C$  implies that  $f(B) \geq f(C)$ . A *fractional access structure* is a monotone function  $f : 2^P \rightarrow \{0, \dots, m-1\}$ , with  $f(\emptyset) = m-1$ . We say that  $f$  is *symmetric* if  $f(B)$  depends only on  $|B|$ .

We note that if we limit the range of  $f$  to  $\{0, m-1\}$  then  $f$  corresponds to a traditional access structure. We now formally define our notion of fractional secret sharing.

► **Definition 9. (Fractional secret sharing scheme)** Let  $f : 2^P \rightarrow \{0, \dots, m-1\}$  be a fractional access structure and let  $S$  be a finite secret-domain. Let  $D$  be a randomized algorithm which outputs a uniformly random  $s \in S$  together with an  $n$ -tuple of shares  $(s_1, \dots, s_n)$ . We say that  $D$  is a *fractional secret-sharing scheme realizing  $f$  with secret-domain  $S$*  if there exists a positive integer  $k$  such that the following holds: For every  $Q \subseteq P$ , and any possible share vector  $s_Q$  of parties in  $Q$ , the distribution of  $s$  conditioned on the event that parties in  $Q$  receive the shares  $s_Q$  is uniform over a subset of  $S$  of size  $f(Q) \cdot k + 1$ . If the above holds with  $k = 1$ , we say that  $D$  *strictly realizes  $f$* .

Note that our default notion of realizing a fractional access structure views the structure as only specifying a kind of *ratio* between the amount of uncertainty of different sets, without specifying the absolute amount of uncertainty or the size of the secret-domain. This relaxation is needed in order to capture standard access structures as a special case. Also note that the above definition generates a random secret along with the shares, unlike most traditional definitions of secret sharing which do not refer to any particular distribution over the secret domain. As in the case of traditional secret sharing, we measure the complexity by comparing the size of the biggest share-domain to the size of the secret-domain.

## 4.2 Fractional Secret Sharing from Lossy Chains

We now apply the positive results from Section 3.2 towards realizing any fractional access structure.

► **Theorem 8.** *For any fractional access structure  $f : 2^P \rightarrow \{0, \dots, m-1\}$ , there exists a fractional secret sharing scheme which strictly realizes  $f$ .*

**Proof.** Without loss of generality, assume that  $f(P) = 0$  and  $f(\emptyset) = m-1$ . We shall use  $S = [m]$  as the secret-domain. Let  $\alpha_0, \dots, \alpha_l$  be all the different values in the range of  $f$  in increasing order; that is,  $\alpha_0 < \dots < \alpha_l$ . By our assumptions, we have  $\alpha_0 = 0$  and  $\alpha_l = m-1$ . Define a loss function  $g : [l] \rightarrow [m]$  such that  $g(i) = \alpha_i + 1$  and let  $\bar{X}$  be a lossy chain realizing  $g$ . The share generation algorithm  $D$  can now proceed as follows:

1. Sample values  $(x_0, \dots, x_l)$  from  $\bar{X}$  and let  $s = x_0$ ;
2. For every subset of parties  $Q \subseteq P$ , let  $f(Q) = \alpha_j + 1$ . Use a traditional  $|Q|$ -out-of- $|Q|$  secret sharing scheme to share  $x_j$  into  $s_{Q,1}, \dots, s_{Q,|Q|}$  (e.g., using additive secret sharing) and give the  $j$ -th party in  $Q$  the share  $s_{Q,j}$ .

We now show that  $D$  is a fractional secret sharing scheme strictly realizing  $f$ . Let  $Q \subseteq P$  be a subset of parties. By the properties of the underlying  $|Q|$ -out-of- $|Q|$  scheme, the information available to parties in  $Q$  is equivalent to learning all values  $x_j$  such that  $f(Q') = \alpha_j + 1$  for some  $Q' \subseteq Q$ . By the monotonicity of  $f$  this means the parties in  $Q$  learn  $x_i$ , where  $i$  is the index such that  $f(Q) = \alpha_i + 1$ , and possibly additional values  $x_j$  for  $j > i$ . By the Markov property of a lossy chain, the distribution of the secret  $s$  conditioned on the above values  $x_i$  and  $x_j$  is uniform over a set of size  $g(i) = \alpha_i + 1 = f(Q)$ , as required. ◀

We remark that if  $f(P) \neq 0$ , we can add another party  $p'$  to the set of parties and set  $f(Q)$  to 0 for every subset  $Q$  containing  $p'$ . We can then execute the proposed algorithm and “throw away” all the shares of  $p'$ .

Similarly to traditional secret sharing, the size of the shares produced by the above algorithm can be exponential in the number of parties. This can be avoided in the case of *symmetric* fractional access structures.

► **Theorem 9.** *Let  $f : 2^P \rightarrow \{0, \dots, m-1\}$  be a symmetric fractional access structure with  $f(\emptyset) = m-1$ . Then there exists a fractional secret sharing scheme  $D$  which (strictly) realizes  $f$  with secret-domain  $[m]$ , where the bit-length of each share is at most  $n \cdot \lceil \log \max \{n, m\} \rceil$ .*

**Proof.** As before, let  $\alpha_1, \dots, \alpha_l$  be all the different values in the range of  $f$  in increasing order and define  $g : [l] \rightarrow [m]$  such that  $g(i) = \alpha_i + 1$ . We now define  $D$  as follows:

1. Generate values  $\bar{x} = (x_0, \dots, x_l)$  for the cyclic intervals lossy chain realizing  $g$ , and let  $s = x_0$ . Furthermore, let  $a_1, \dots, a_{l-1}$  be the starting values of the cyclic intervals defining  $\bar{x}$  (see Remark 3.2).
2. For every  $i \in [n]$ , let  $\alpha_j$  be the value such that for any subset of parties  $Q \subseteq P$  of size  $i$  we have  $f(Q) = \alpha_j + 1$ . Use Shamir’s  $i$ -out-of- $n$  threshold secret sharing scheme to create shares of  $a_j$  and give one share to each of the parties in  $P$ .

We now show that  $D$  is a fractional secret sharing scheme. For every subset of parties  $Q \subseteq P$ , the parties can reconstruct all the values out of  $x_0, \dots, x_n$  that were shared in a threshold scheme requiring  $|Q|$  or less parties. This means that if  $f(Q) = \alpha_j + 1$ , the parties of  $Q$  can reconstruct  $a_j, \dots, a_l$ . By the definition of the cyclic intervals lossy chain, the parties can reconstruct  $x_j, \dots, x_l$  from  $a_j, \dots, a_l$  and since  $x_j, \dots, x_l$  were generated as values

from a lossy chain realizing  $g$  we see that the secret  $s$  conditioned on  $X_j = x_j, \dots, X_l = x_l$  is distributed uniformly over a set of size  $\alpha_j + 1$ , where  $\alpha_j + 1 = f(Q)$  as required.

We are left with showing that the size of share for each party is no more than  $n \cdot \lceil \log(\max\{n, m\}) \rceil$ . Each party receives  $n$  different shares, one from each invocation of the threshold secret sharing algorithm done by  $D$ . The secrets shared are  $a_1, \dots, a_l$  where we recall that all of them are values picked from at most  $m$  values. Using Shamir's threshold secret sharing scheme, each of the values is shared with shares of size  $\lceil \log(\max\{n, m\}) \rceil$ . This amounts to a share size of at most  $n \cdot \lceil \log(\max\{n, m\}) \rceil$  for each party, as required. ◀

## 5 Conclusions and Open Questions

We introduced the notion of lossy chains – Markov chains which gradually lose information about an initial secret in a controlled fashion. We presented an efficient construction of lossy chains and a matching negative result on the efficiency of lossy chains. Finally, we have shown how lossy chains can be used to realize fractional secret sharing, a natural generalization of traditional secret sharing which supports a fine-grained control over the amount of uncertainty about the secret.

While we essentially settle the main complexity question about lossy chains, it remains open to obtain a characterization of the best achievable information rate for a given loss function  $g$ .

The most interesting open question regarding the complexity of fractional secret sharing is to settle the case of *symmetric* fractional access structures, which naturally generalize threshold access structures. While the latter can be realized by an ideal scheme in which the size of each share is equal to the size of the secret (for a sufficiently large secret), we do not know whether an analogous result holds in the fractional domain.

---

### References

- 1 D. Bertsekas and R. Gallager. Data networks, 1992.
- 2 G. Blakley and C. Meadows. Security of ramp schemes. In *Proceedings of Crypto '84*, pages 242–268, 1984.
- 3 G. R. Blakley. Safeguarding cryptographic keys. In *National Computer Conference*, page 313. AFIPS Press, 1979.
- 4 R. Cleve. Controlled gradual disclosure schemes for random bits and their applications. In *Proceedings of Crypto '89*, pages 573–588, 1989.
- 5 O. Farràs and C. Padró. Extending brickell-davenport theorem to non-perfect secret sharing schemes. *IACR Cryptology ePrint Archive*, 2012:595, 2012.
- 6 M. Ito, A. Saito, and T. Nishizeki. Secret sharing scheme realizing general access structure. *Electronics and Communications in Japan*, 72(9):56–64, 1989.
- 7 K. Kurosawa, K. Okada, K. Sakano, W. Ogata, and S. Tsujii. Nonperfect secret sharing schemes and matroids. In *Proceedings of EUROCRYPT '93*, pages 126–141, 1993.
- 8 A. Rényi. On measures of entropy and information. In *Fourth Berkeley Symposium on Mathematical Statistics and Probability*, pages 547–561, 1961.
- 9 A. Shamir. How to share a secret. *Communications of the ACM*, 22(11):612–613, 1979.
- 10 C.E. Shannon. Communication Theory of Secrecy Systems. *Bell Systems Technical Journal*, 28(4):656–715, 1949.
- 11 H. Yamamoto. Secret sharing system using  $(k, L, n)$  threshold scheme. *Electronics and Communications in Japan (Part I: Communications)*, 69(9):46–54, 1986.