

Functional Scales in Assisted Wayfinding

Heinrich Löwen 

Institute for Geoinformatics, University of Münster, Germany
loewen.heinrich@uni-muenster.de

Jakub Krukar 

Institute for Geoinformatics, University of Münster, Germany
krukar@uni-muenster.de

Angela Schwering 

Institute for Geoinformatics, University of Münster, Germany
schwering@uni-muenster.de

Abstract

GPS-based navigation systems are widely used to get wayfinding assistance. Current navigation systems incorporate different map scales for presenting wayfinding instructions, however, the selection of scale is not supported by psychological findings. Different tasks of the users such as the identification of the next decision point or the orientation within the environment might be supported best at particular scales. We propose a new conceptual distinction of *functional* scales with respect to their role in supporting wayfinding and orientation. We suggest that these *functional* scales can have a benefit for supporting wayfinding and orientation if used for providing wayfinding instructions. This we aim to empirically evaluate in future work.

2012 ACM Subject Classification Human-centered computing → Visualization theory, concepts and paradigms

Keywords and phrases navigation, wayfinding support, orientation information, scale

Digital Object Identifier 10.4230/LIPIcs.COSIT.2019.3

Category Short Paper

Funding This project has received funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation programme (grant agreement n° 637645).

1 Introduction

Current navigation systems incorporate different map scales for presenting wayfinding instructions to the users. Typically users may see an overview map of the whole route at the start of the travel. During the travel, the navigation system dynamically scales the map with respect to the speed of travel and the distance to the next decision point. These scale changes are very useful to support the task at hand, which is the interpretation of instruction and the identification of decision points. However, wayfinding support systems might target different task such as spatial learning and the orientation within the local or global context of the route. While the scale changes support the identification of decision points, they are not systematically chosen based on their benefit in spatial knowledge acquisition and orientation. Current research is ignoring that the relevance of environmental features for wayfinding and orientation support might depend on different goals users have during wayfinding, that are best supported at particular scales. To our knowledge, there is no work existing that conceptually distinguishes scales with respect to different functions in assisted wayfinding scenarios. In this paper we propose a conceptual distinction of *functional* scales with respect to their role in supporting wayfinding and orientation. The distinction consists of five scales that vary in the extent of navigationally-relevant space they represent.



© Heinrich Löwen, Jakub Krukar, and Angela Schwering;
licensed under Creative Commons License CC-BY

14th International Conference on Spatial Information Theory (COSIT 2019).

Editors: Sabine Timpf, Christoph Schlieder, Markus Kattenbeck, Bernd Ludwig, and Kathleen Stewart;
Article No. 3; pp. 3:1–3:7



Leibniz International Proceedings in Informatics
Schloss Dagstuhl – Leibniz-Zentrum für Informatik, Dagstuhl Publishing, Germany

2 Background

2.1 Environmental Features supporting Spatial Knowledge Acquisition during Assisted Wayfinding

Landmarks are important features in wayfinding and navigation, because they structure human mental representations of space [18, 2, 12]. There is empirical evidence from the analysis of human route instructions showing that these contain a significant amount of orientation information, including local and global landmarks, which support the acquisition of survey knowledge [1, 10, 9]. The feature selection, which is natural for humans, is not trivial from the computational perspective. Different approaches have been developed to automatically select environmental features such as landmarks for wayfinding and orientation support (e.g. [16, 15, 5, 3]), however empirical evidence with respect to spatial learning is rarely presented.

Others investigated users' spatial knowledge acquisition during assisted wayfinding. Different wayfinding aids such as traditional paper maps and GPS-based navigation systems were compared (e.g. [14, 7, 4]), all showing negative consequences of digital navigation systems on the formation of mental spatial representations. Navigation systems seem to change the way users attend to the environment by providing a sequential set of turn instructions that can be passively followed with little attention to the environment [6, 20, 21]. New types of instructions have been presented to support users' spatial knowledge acquisition and orientation, e.g., *spatial chunking* where elementary wayfinding actions are merged into higher order chunks that convey information about meaningful parts of the route [8]. Schwering et al. [20] suggested to provide instructions not in a turn-by-turn manner but in a holistic way in order to support spatial learning of the route as well as the surrounding environment.

Recent research has shown that the selection and accentuation of map features has a significant influence on users' spatial learning and orientation [11]. The authors described a semi-automatic process of selecting environmental features based on a classification scheme that distinguishes orientation information as landmarks, network structures, and structural regions. They showed that the accentuation of local features supported the acquisition of route knowledge, whereas the accentuation of global features supported the acquisition of survey knowledge. This research, however, neglects that the relevance of environmental features for wayfinding and orientation support might depend on the representation at different scales. Moreover, the suitability of a particular scale depends on the current situation of the driver and the task to be supported by the map visualization.

2.2 Scale

The term *scale* is used for different concepts. Cartographers use it for describing the ratio of real world distance and map distance. They specify how environmental features are represented at particular map scales. Psychologists make a qualitative distinction of *scale* with respect to the perception of space. The dominant distinction was presented by Montello who classifies psychological space into multiple classes based on the projective size of space relative to the human body [13]. He distinguished the classes *figural*, *vista*, *environmental*, and *geographical* space. Few works have looked at scales in similar contexts: Richter et al. classified the granularity of environmental features in place descriptions, distinguishing the levels *furniture*, *room*, *building*, *street*, *district*, *city*, and *country* [17]. Schmid et al. distinguished three levels of detail in You-Are-Here maps with respect to Montello's psychological spaces and Worboys' nearness relations [22], which they refer to as *immediate neighborhood*, *larger neighborhood*, and *beyond that horizon* [19].

In the following we propose a conceptual distinction of *functional* scales with respect to their role in supporting wayfinding and orientation. Our classification is derived from the interaction of cartographic and psychological scales: Any map presented on the screen of a wayfinding support system would classify as a *figural* space in Montello's terms; however, for the purpose of supporting wayfinding, this map might represent the extent of space equivalent to either *vista*, *environmental*, or *geographical* psychological space (such as a turn at the current junction, or a route passing through an entire country). Seeing so different extents of space during distinct phases of an assisted wayfinding scenario is likely to affect the users' ability to spontaneously learn and orient within the environment. While the existing navigation systems utilise this principle in its most simplistic form, e.g., by displaying the route's overview at the beginning of the journey, and zooming in near junctions, this system behaviour is not optimised to continuously support spatial knowledge acquisition.

3 Functional Scales

We suggest five major categories of functional scales of wayfinding maps: *intersection*, *neighborhood*, *city*, *region*, and *route overview* scale. As opposed to cartographic map scales that are expressed in the ratios between real world distance and the corresponding map distance, the functional scales are defined by the containment of features relevant for different aspects of navigation. For example, one of the listed functional scales is required to contain the entire route, no matter of its euclidean length. We relate the functional scale classes to previous definitions of *map scales* and *psychological scales*. The full categorization is shown in Table 1.

The *intersection* scale depicts a particular decision point at a large scale facilitating local orientation and decision making. At this functional scale, maps contain detailed information about local features at the intersection including local landmarks and full layout of the street network. Direction instructions at decision points of contemporary navigation systems can be categorized into this scale, however, only prototypes incorporate landmarks, yet (e.g. Natural Guidance by HERE, Garmin Real Directions). We relate this category to the *vista* space (see [13]) and consider the map scale as fixed with respect to the required screen size and resolution.

The *neighborhood* scale depicts information about the local context of the route in order to support the understanding of the local route context and surrounding connections. Relevant information are considered to be local and global landmarks, the full street network, and structural regions at a size that does not exceed the particular neighborhood. Global landmarks might not be located at the route, but support the overall understanding of the neighborhood. We consider the *neighborhood* scale to be projectively larger than the *intersection* scale. It exceeds the *vista* space, thus can be related to the *environmental* space. The related map scale is considered to be relative to the size of the neighborhood.

The *city* scale depicts information about the global context of the city in order to support the understanding of the global city context and the main city structure. It provides an overview of a whole city or, in case of a drive between cities, the area between two cities. Relevant information at this scale are global landmarks, the main street network, and structural regions at a size that does not exceed the size of the particular city. The *city* scale is considered to be projectively larger than the *neighborhood* scale at a map scale that is relative to the size of the city or the area between two cities. Although a city might only be directly apprehended with a considerable amount of time, it can still be related to the *environmental* space.

3:4 Functional Scales in Assisted Wayfinding

■ **Table 1** Functional Scales in Wayfinding Support.

Functional Scale	Information Content	Function in Wayfinding Support	Related Cartographic Scale	Related Psychological Scale
intersection	<ul style="list-style-type: none"> – detailed information about DP – building information – local landmarks – full street network 	<ul style="list-style-type: none"> – identification of DP – local orientation – understanding of visual information at DP 	fixed large scale *	vista space
neighborhood	<ul style="list-style-type: none"> – information about local context – local & global landmarks – full street network – structural regions \leq neighborhood 	<ul style="list-style-type: none"> – understanding of local route context – understanding of surrounding connections 	relative to size of neighborhood	environmental space
city	<ul style="list-style-type: none"> – information about global context of city – global landmarks – main street network – structural regions \leq city 	<ul style="list-style-type: none"> – understanding of global city context – understanding of city structure and main connections 	relative to size of city **	environmental space
region	<ul style="list-style-type: none"> – information about global context of the region – main street network – structural regions \geq city 	<ul style="list-style-type: none"> – understanding global region context – understanding of main connections through region 	relative to size of cities and regions	geographical space
route overview	<ul style="list-style-type: none"> – combined information from neighborhood, city and region scale 	<ul style="list-style-type: none"> – understanding of the global route context – getting overview of whole route 	relative to length of route	

* e.g., for an average 5 inch smartphone screen this relates to a map scale of 1:1.000 – 1:3000.

** e.g. for the city of Münster, western Germany, this relates to a map scale of 1:100.000 – 1:200.000.

The *region* scale depicts information about the global context of the region in order to support the orientation within the region and support the understanding of the overall structure of the region. It only highlights the main street network and structural regions at a size of the cities or larger; more detailed information such as separate instances of landmarks are not considered as relevant for this scale. We consider the *region* scale to be projectively larger than the *city* scale at a map scale that is relative to the size of the particular region. The environmental spaces represented in the *region* scales are too large to be apprehended directly through locomotion, although the related wayfinding scenario involves locomotion through the region; thus the *region* scale is related to the *geographical* space as defined by Montello.

The *route overview* scale depicts information about the whole route in a single map in order to provide overview of the whole route and surrounding environment and to support the understanding of the global route context. While the previous scale categories are considered as not overlapping and ordered from the *intersection* scale to the *region* scale, the *route overview* scale might overlap with the other scale categories. The related map scale of the *route overview* scale is relative to the length of the route such as to contain the whole route in a single map. We consider environmental features relevant for the *route overview* scale to be composed of information from the *neighborhood* scale, the *city* scale, and the *region* scale; this relates to the structure of the particular route. It was shown that routes have a typical structure, which was divided in three parts: a detailed beginning, a coarse middle, and a detailed end [23]. The route structure is considered in the *route overview* scale, e.g., detailed information about the local route context are depicted around the beginning and the end of the route (see *neighborhood* scale); coarse information about the global context of the city (*city* scale) or even the region (*region* scale) are depicted for route parts consisting of higher order streets such as secondary roads, primary roads or highways. Depending on the length of the particular route, only a subset of the functional scale categories might be relevant; e.g. for a route that lies entirely within a city, the *region* scale is redundant.

Although the functional scales are defined to selectively represent environmental features, this does not solve the problem of small-display cartography to visualize geographic information on small displays with sufficient level of detail. The functional scales are related to map scales, which are relative to the size of the neighborhood, city, or region, or the length of the route. Depending on the actual size of the related features it might not be possible to visualize the defined information content of the functional scales on small displays in a legible way. To cope with this, we refer to ongoing research on the selection of environmental features to support orientation and spatial knowledge acquisition (see [11]).

4 Conclusion

Current navigation systems incorporate different map scales for presenting wayfinding instructions, however, the selection of scale is not supported by psychological findings. We suggest a categorization of *functional* scales of wayfinding maps, which are distinguished by the containment of features relevant for different aspects of navigation. As described above, we suggest that these *functional* scales can have a benefit for supporting wayfinding and orientation if used for providing wayfinding instructions.

In future work, we aim to empirically evaluate the categorization of functional scales in two aspects. On the one hand users' preferences in assisted wayfinding scenarios with respect to the functional scales will be investigated. This aims to get a first insights into and explore the relevance of the functional scales with respect to different route contexts. On the other hand the relevance of environmental features with respect to the functional scales and the effect on spatial knowledge acquisition will be investigated. We thereby target the question what scale is most suited with respect to different functions and contexts in wayfinding and orientation support. Our work contribute to the general understanding of spatial knowledge acquisition in assisted wayfinding scenarios.

References

- 1 Vanessa Joy Anacta, Mohammed Imaduddin Humayun, Angela Schwering, and Jakub Krukar. Investigating Representations of Places with Unclear Spatial Extent in Sketch Maps. In Arnold Bregt, Tapani Sarjakoski, Ron van Lammeren, and Frans Rip, editors, *Societal Geo-innovation: Selected papers of the 20th AGILE conference on Geographic Information Science*, pages 3–17. Springer, Cham, 2017. doi:10.1007/978-3-319-56759-4_1.
- 2 Gary Burnett. ‘Turn right at the Traffic Lights’: The Requirement for Landmarks in Vehicle Navigation Systems. *The Journal of Navigation*, 53(3):499–510, 2000.
- 3 David Caduff and Sabine Timpf. On the assessment of landmark salience for human navigation. *Cognitive Processing*, 9(4):249–267, 2008. doi:10.1007/s10339-007-0199-2.
- 4 Frank Dickmann. City Maps Versus Map-Based Navigation Systems – An Empirical Approach to Building Mental Representations. *The Cartographic Journal*, 49(1):62–69, 2012. doi:10.1179/1743277411Y.0000000018.
- 5 Matt Duckham, Stephan Winter, and Michelle Robinson. Including landmarks in routing instructions. *Journal of Location Based Services*, 4(1):28–52, March 2010. doi:10.1080/17489721003785602.
- 6 Aaron L Gardony, Tad T Brunyé, Caroline R Mahoney, and Holly A Taylor. How Navigational Aids Impair Spatial Memory: Evidence for Divided Attention. *Spatial Cognition & Computation*, 13(4):319–350, 2013. doi:10.1080/13875868.2013.792821.
- 7 Toru Ishikawa, Hiromichi Fujiwara, Osamu Imai, and Atsuyuki Okabe. Wayfinding with a GPS-based mobile navigation system: A comparison with maps and direct experience. *Journal of Environmental Psychology*, 28(1):74–82, 2008. doi:10.1016/j.jenvp.2007.09.002.

- 8 Alexander Klippel, Heike Tappe, and Christopher Habel. Pictorial Representations of Routes: Chunking Route Segments during Comprehension. In Christian Freksa, Wilfried Brauer, Christopher Habel, and Karl F. Wender, editors, *Spatial Cognition III: Routes and Navigation, Human Memory and Learning, Spatial Representation and Spatial Learning*, pages 11–33. Springer, Berlin, Heidelberg, 2003.
- 9 Rui Li, Amichi Korda, Maurin Radtke, and Angela Schwering. Visualising distant off-screen landmarks on mobile devices to support spatial orientation. *Journal of Location Based Services*, 8(3):166–178, 2014. doi:10.1080/17489725.2014.978825.
- 10 Kristin L. Lovelace, Mary. Hegarty, and Daniel R. Montello. Elements of Good Route Directions in Familiar and Unfamiliar Environments. In Christian Freksa and David M Mark, editors, *Spatial Information Theory. Cognitive and Computational Foundations of Geographic Information Science*, pages 65–82. Springer, Berlin, Heidelberg, 1999. doi:10.1007/3-540-48384-5_5.
- 11 Heinrich Löwen, Jakub Krukar, and Angela Schwering. Spatial Learning with Orientation Maps: The Influence of Different Environmental Features on Spatial Knowledge Acquisition. *ISPRS International Journal of Geo-Information*, 8(3), March 2019. doi:10.3390/ijgi8030149.
- 12 Andrew J May and Tracy Ross. Presence and Quality of Navigational Landmarks: Effect on Driver Performance and Implications for Design. *Human Factors: The Journal of the Human Factors and Ergonomics Society*, 48(2):346–361, June 2006. doi:10.1518/001872006777724453.
- 13 Daniel R. Montello. Scale and Multiple Psychologies of Space. In Andrew U. Frank and Irene Campari, editors, *Spatial Information Theory: A Theoretical Basis for GIS, Proceedings COSIT '93*, Lecture Notes in Computer Science, pages 312–321. Springer, 1993.
- 14 Stefan Münzer, Hubert D. Zimmer, Maximilian Schwalm, Jörg Baus, and Ilhan Aslan. Computer-assisted navigation and the acquisition of route and survey knowledge. *Journal of Environmental Psychology*, 26(4):300–308, December 2006. doi:10.1016/j.jenvp.2006.08.001.
- 15 Clemens Nothegger, Stephan Winter, and Martin Raubal. Selection of Salient Features for Route Directions. *Spatial Cognition & Computation*, 4(2):113–136, June 2004. doi:10.1207/s15427633scc0402_1.
- 16 Martin Raubal and Stephan Winter. Enriching Wayfinding Instructions with Local Landmarks. In Max J. Egenhofer and David M. Mark, editors, *Geographic Information Science: Second International Conference, GIScience 2002*, Lecture Notes in Computer Science, pages 243–259, Boulder, CO, USA, 2002. Springer. doi:10.1007/3-540-45799-2_17.
- 17 Daniela Richter, Maria Vasardani, Lesley Stirling, Kai-Florian Richter, and Stephan Winter. Zooming In–Zooming Out: Hierarchies in Place Descriptions. In Jukka M Krisp, editor, *Progress in Location-Based Services*, Lecture Notes in Geoinformation and Cartography, pages 339–355. Springer, 2013. doi:10.1007/978-3-642-34203-5_19.
- 18 Kai-Florian Richter and Stephan Winter. *Landmarks: GIScience for Intelligent Services*. Springer, Cham, Switzerland, 2014.
- 19 Falko Schmid, Colin Kuntzsch, Stephan Winter, Aisan Kazerani, and Benjamin Preisig. Situated Local and Global Orientation in Mobile You-are-here Maps. In Marco de Sá, Luís Carriço, and Nuno Correia, editors, *Proceedings of the 12th Conference on Human Computer Interaction with Mobile Devices and Services*, Mobile {HCI} '10, pages 83–92, Lisbon, Portugal, 2010. ACM.
- 20 Angela Schwering, Jakub Krukar, Rui Li, Vanessa Joy Anacta, and Stefan Fuest. Wayfinding Through Orientation. *Spatial Cognition & Computation*, 17(4):273–303, October 2017. doi:10.1080/13875868.2017.1322597.
- 21 Katharine S Willis, Christoph Hölscher, Gregor Wilbertz, and Chao Li. A comparison of spatial knowledge acquisition with maps and mobile maps. *Computers, Environment and Urban Systems*, 33(2):100–110, March 2009. doi:10.1016/j.compenvurbsys.2009.01.004.

- 22 Michael F Worboys. Nearness relations in environmental space. *International Journal of Geographical Information Science*, 15(7):633–651, October 2001. doi:10.1080/13658810110061162.
- 23 Dieter Wunderlich and Rudolph Reinelt. How to Get There From Here. In R. J. Jarvella and W. Klein, editors, *Speech, Place, and Action*, pages 183–201. John Wiley & Sons Ltd., 1982.