

Some Recent Advancements in Monotone Circuit Complexity

Susanna F. de Rezende   

Lund University, Sweden

Abstract

In 1985, Razborov [16] proved the first superpolynomial size lower bound for monotone Boolean circuits for the perfect matching the clique functions, and, independently, Andreev [2] obtained exponential size lower bounds. These breakthroughs were soon followed by further advancements in monotone complexity, including better lower bounds for clique [1, 19], superlogarithmic depth lower bounds for connectivity by Karchmer and Wigderson [12], and the separations $\text{mon-NC} \neq \text{mon-P}$ and that $\text{mon-NC}^i \neq \text{mon-NC}^{i+1}$ by Raz and McKenzie [15]. Karchmer and Wigderson [12] proved their result by establishing a relation between communication complexity and (monotone) circuit depth, and Raz and McKenzie [15] introduced a new technique, now called *lifting theorems*, for obtaining communication lower bounds from query complexity lower bounds,

In this talk, we will survey recent advancements in monotone complexity driven by query-to-communication lifting theorems. A decade ago, Göös, Pitassi, and Watson [10] brought to light the generality of the result of Raz and McKenzie [15] and reignited this line of work. A notable extension is the lifting theorem [8] for a model of DAG-like communication [17, 18] that corresponds to circuit size. These powerful theorems, in their different flavours, have been instrumental in addressing many open questions in monotone circuit complexity, including: optimal $2^{\Omega(n)}$ lower bounds on the size of monotone Boolean formulas computing an explicit function in NP [14]; a complete picture of the relation between the mon-AC and mon-NC hierarchies [6]; a near optimal separation between monotone circuit and monotone formula size [5]; exponential separation between NC^2 and mon-P [8, 11]; and better lower bounds for clique [7, 13], improving on [3]. Very recently, lifting theorems were also used to prove supercritical trade-offs for monotone circuits showing that there are functions computable by small circuits for which any small circuit must have superlinear or even superpolynomial depth [4, 9]. We will explore these results and their implications, and conclude by discussing some open problems.

2012 ACM Subject Classification Theory of computation \rightarrow Circuit complexity; Theory of computation \rightarrow Communication complexity; Theory of computation \rightarrow Proof complexity

Keywords and phrases monotone circuit complexity, query complexity, lifting theorems

Digital Object Identifier 10.4230/LIPIcs.STACS.2025.4

Category Invited Talk

Funding ELLIIT, Knut and Alice Wallenberg grants KAW 2021.0307 and 2023.0116, and the Swedish Research Council grant 2021-05104.

References

- 1 Noga Alon and Ravi B. Boppana. The monotone circuit complexity of Boolean functions. *Combinatorica*, 7(1):1–22, March 1987. doi:10.1007/bf02579196.
- 2 Alexander E. Andreev. On a method for obtaining lower bounds for the complexity of individual monotone functions. *Soviet Mathematics Doklady*, 31(3):530–534, 1985. English translation of a paper in *Doklady Akademii Nauk SSSR*.
- 3 Bruno Pasqualotto Cavalari, Mrinal Kumar, and Benjamin Rossman. Monotone circuit lower bounds from robust sunflowers. In *Proceedings of the 14th Latin American Symposium on Theoretical Informatics (LATIN '20)*, volume 12118 of *Lecture Notes in Computer Science*, pages 311–322. Springer, January 2021. doi:10.1007/978-3-030-61792-9_25.



© Susanna F. de Rezende;

licensed under Creative Commons License CC-BY 4.0

42nd International Symposium on Theoretical Aspects of Computer Science (STACS 2025).

Editors: Olaf Beyersdorff, Michał Pilipczuk, Elaine Pimentel, and Nguyễn Kim Thăng;

Article No. 4; pp. 4:1–4:2



Leibniz International Proceedings in Informatics

Schloss Dagstuhl – Leibniz-Zentrum für Informatik, Dagstuhl Publishing, Germany



- 4 Susanna F. de Rezende, Noah Fleming, Duri Andrea Janett, Jakob Nordström, and Shuo Pang. Truly supercritical trade-offs for resolution, cutting planes, monotone circuits, and weisfeiler-leman. Technical Report 2411.14267, arXiv.org, November 2024. doi:10.48550/arXiv.2411.14267.
- 5 Susanna F. de Rezende, Or Meir, Jakob Nordstrom, Toniann Pitassi, Robert Robere, and Marc Vinyals. Lifting with simple gadgets and applications to circuit and proof complexity. In *Proceedings of the 61st IEEE Annual Symposium on Foundations of Computer Science (FOCS '20)*, November 2020. doi:10.1109/focs46700.2020.00011.
- 6 Susanna F. de Rezende, Jakob Nordström, and Marc Vinyals. How limited interaction hinders real communication (and what it means for proof and circuit complexity). In *Proceedings of the 57th IEEE Annual Symposium on Foundations of Computer Science (FOCS '16)*, October 2016. doi:10.1109/focs.2016.40.
- 7 Susanna F. de Rezende and Marc Vinyals. Lifting with colourful sunflowers. Manuscript, 2025.
- 8 Ankit Garg, Mika Göös, Pritish Kamath, and Dmitry Sokolov. Monotone circuit lower bounds from resolution. *Theory of Computing*, 16(13):1–30, 2020. Preliminary version in *STOC '18*. doi:10.4086/toc.2020.v016a013.
- 9 Mika Göös, Gilbert Maystre, Kilian Risse, and Dmitry Sokolov. Supercritical tradeoffs for monotone circuits. Technical Report 2411.14268, arXiv.org, November 2024. doi:10.48550/arXiv.2411.14268.
- 10 Mika Göös, Toniann Pitassi, and Thomas Watson. Deterministic communication vs. partition number. *SIAM Journal on Computing*, 47(6):2435–2450, January 2018. Preliminary version in *FOCS '15*. doi:10.1137/16m1059369.
- 11 Mika Göös, Pritish Kamath, Robert Robere, and Dmitry Sokolov. Adventures in monotone complexity and TFNP. In *Proceedings of the 10th Innovations in Theoretical Computer Science Conference (ITCS '19)*, volume 124 of *Leibniz International Proceedings in Informatics (LIPIcs)*, pages 38:1–38:19, January 2019. doi:10.4230/LIPIcs.ITCS.2019.38.
- 12 Mauricio Karchmer and Avi Wigderson. Monotone circuits for connectivity require super-logarithmic depth. *SIAM Journal on Discrete Mathematics*, 3(2):255–265, 1990. Preliminary version in *STOC '88*. doi:10.1137/0403021.
- 13 Shachar Lovett, Raghu Meka, Ian Mertz, Toniann Pitassi, and Jiapeng Zhang. Lifting with Sunflowers. In *Proceedings of the 13th Innovations in Theoretical Computer Science Conference (ITCS '22)*, volume 215 of *Leibniz International Proceedings in Informatics (LIPIcs)*, pages 104:1–104:24, January 2022. doi:10.4230/LIPIcs.ITCS.2022.104.
- 14 Toniann Pitassi and Robert Robere. Strongly exponential lower bounds for monotone computation. In *Proceedings of the 49th Annual ACM Symposium on Theory of Computing (STOC '17)*, pages 1246–1255, June 2017. doi:10.1145/3055399.3055478.
- 15 Ran Raz and Pierre McKenzie. Separation of the monotone NC hierarchy. *Combinatorica*, 19(3):403–435, March 1999. Preliminary version in *FOCS '97*. doi:10.1007/s004930050062.
- 16 Alexander A. Razborov. Lower bounds for the monotone complexity of some Boolean functions. *Soviet Mathematics Doklady*, 31(2):354–357, 1985. English translation of a paper in *Doklady Akademii Nauk SSSR*.
- 17 Alexander A. Razborov. Unprovability of lower bounds on circuit size in certain fragments of bounded arithmetic. *Izvestiya: Mathematics*, pages 205–227, February 1995. doi:10.1070/im1995v059n01abeh000009.
- 18 Dmitry Sokolov. Dag-like communication and its applications. In *Proceedings of the 12th International Computer Science Symposium in Russia (CSR '17)*, volume 10304 of *Lecture Notes in Computer Science*, pages 294–307. Springer, June 2017. doi:10.1007/978-3-319-58747-9_26.
- 19 Ingo Wegener. *The complexity of Boolean functions*. Wiley-Teubner, 1987. URL: <http://ls2-www.cs.uni-dortmund.de/monographs/bluebook/>.